

Photonics

Weekly Intelligence Report

2026-07-12 | 35 articles | 8 countries

troy-technical.jp

This Week's Keyword

AI Photonics

Driving next-gen data centers & quantum

35

articles

Total Articles Analyzed

8

countries

Source Countries

\$107.66B

by 2035

Photonic IC Market

25K

wafers/month

TSMC PIC Capacity (2028)

All 35 Articles This Week — 5-Axis Evaluation Matrix

How to read columns — Tech Novelty: degree of breakthrough Market Proximity: closeness to commercialization Market Impact: industry-wide effect Data Reliability: quantitative data & peer review US/EU Relevance: direct impact on US/European companies & supply chains

#	Article Title	Type	Tech Novelty	Market Proximity	Market Impact	Data Reliability	US/EU Relevance	Summary
#01	Imec 2.5D/3D Optical I/O	Research						Imec proposes 2.5D/3D optical I/O roadmap to overcome CPO limits, dramatically reducing power and increasing bandwidth for future AI.
#02	1.6T Coherent Pluggables	Product Update						1.6T coherent pluggables demand innovation in symbol rates, DSP power, and thermal design; 2nm DSPs are crucial.
#03	InP Component Shortage	Market Analysis						Persistent Indium Phosphide (InP) component shortage for AI data centers despite capacity boosts from Coherent and Semtech.
#04	Octave-Spanning Soliton	Research						DTU researchers achieved octave-spanning, deterministic single soliton generation in 4H-SiC microresonators at low power.
#05	NVIDIA Strategic Invest	Corporate Strategy						NVIDIA invests in CPO, MicroLED, OCS via Marvell, Lumentum, Coherent to drive next-gen AI infrastructure.
#06	Coherent InP Capacity	Corporate Strategy						Coherent invests \$50M to quadruple 6-inch InP wafer capacity, addressing surging 1.6T optical module demand.
#07	Photonic IC Market Surge	Market Overview						Photonic IC market surges, driven by AI data centers and high-speed networking, with major players advancing tech.
#08	Intel LiDAR Silicon Phot	Market Overview						Intel Market Research forecasts LiDAR silicon photonic chip market growth driven by ADAS and autonomous vehicles.
#09	Hamamatsu InGaAs Sensor	New Product						Hamamatsu Photonics unveils InGaAs area image sensor with 3500 DR, 503 fps for near-infrared hyperspectral imaging.
#10	Photonic AI Interconnect	Market Overview						Market Intel predicts growth in Photonic AI Interconnect Fabric market, driven by AI model complexity and data center efficiency.
#11	CMOS Quantum Photonic	Research						arXiv paper details CMOS-compatible quantum photonic chip for room-temperature operation, achieving high accuracy in ML tasks.
#12	TSMC PIC Capacity	Market Forecast						TrendForce forecasts TSMC PIC capacity to soar to 25K wafers/month by 2028, with NVIDIA and Broadcom as early COUPE customers.

#	Article Title	Type	Tech Novelty	Market Proximity	Market Impact	Data Reliability	US/EU Relevance	Summary
#13	Xanadu/PsiQuantum	Research Review	●●●●● ○	●○○○○ ○	●●●●● ○	●●●●● ●	●●●●● ●	arXiv paper highlights Xanadu's 216-qubit quantum supremacy and PsiQuantum's path to million-qubit silicon photonics.
#14	Arago Photonic Computin	Corporate Profile	●●●●● ○	●●○○○ ○	●●●●● ○	●●○○○ ○	●●●●● ●	Arago develops high-performance, energy-efficient photonic computing hardware for AI workloads, aiming to challenge traditional electronics.
#15	Marvell Acquires Celest	Corporate Strategy	●●●○○ ○	●●●●● ○	●●●●● ●	●●●○○ ○	●●●●● ●	Marvell acquires Celestial AI for \$3.25B for photonic fabric tech, elevating AI revenue outlook to challenge NVIDIA.
#16	AIP Optical Quantum Comp	Research Review	●●●●● ○	●○○○○ ○	●●●●● ○	●●●●● ●	●●●●● ●	AIP paper highlights optical quantum computing as a key platform due to room-temperature operation, low noise, and scalability.
#17	Quantum Zeitgeist SP	Market Forecast	●●○○○ ○	●●●○○ ○	●●●●● ○	●●●○○ ○	●●●●● ●	Quantum Zeitgeist forecasts silicon photonics links to achieve 6.4 Tbps by early 2030s, meeting AI bandwidth demand.
#18	Hamamatsu Fairchild CMOS	Corporate Strategy	●●○○○ ○	●●●●● ●	●●●○○ ○	●●●●● ○	●●●●● ○	Hamamatsu Photonics drives Fairchild Imaging CMOS sensors in Europe, bolstering X-ray, medical, scientific, and space applications.
#19	3D InCites SP Packaging	Analysis	●●●○○ ○	●●●●● ○	●●●●● ○	●●●○○ ○	●●●●● ●	Silicon photonics packaging accounts for half product value, highlighting challenges in optical guiding and thermal management.
#20	Photonic IC Market Forec	Market Forecast	●○○○○ ○	●●●●● ●	●●●●● ●	●●●○○ ○	●●●●● ●	openPR.com predicts Photonic IC market to surge to \$107.66 Billion by 2035, driven by AI data centers.
#21	Marvell Celestial AI	Corporate Strategy	●●●○○ ○	●●●●● ○	●●●●● ●	●●●○○ ○	●●●●● ●	Marvell's \$3.25B Celestial AI acquisition and 3.2T optical transceiver development bolsters AI market competitiveness.
#22	China Photonic Lab	Corporate Strategy	●●●○○ ○	●●○○○ ○	●●●●● ○	●●○○○ ○	●●●●● ○	China opens 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' to accelerate chip race.
#23	PsiQuantum GlobalFound	Corporate Strategy	●●●●● ○	●○○○○ ○	●●●●● ○	●●●○○ ○	●●●●● ●	PsiQuantum pursues million-qubit fault-tolerant quantum computer on silicon photonics, collaborating with GlobalFoundries.
#24	Hamamatsu SWIR CMOS	New Product	●●●○○ ○	●●●●● ○	●●●○○ ○	●●●●● ○	●●●○○ ○	GoPhotonics announces Hamamatsu Photonics' S14739-20 SWIR CMOS image sensor to enhance semiconductor inspection.
#25	Marvell Amazon Warrants	Corporate Strategy	●●●○○ ○	●●●●● ○	●●●●● ●	●●●○○ ○	●●●●● ●	Marvell issues Amazon warrants tied to photonic fabric product purchases by 2030 after Celestial AI acquisition.
#26	AI Data Center Optical	Market Forecast	●○○○○ ○	●●●●● ●	●●●●● ●	●●●○○ ○	●●●●● ●	openPR.com predicts AI Data Center Optical Interconnect Market to reach \$41.09 Billion by 2035, driven by Intel CPO.
#27	Optica Qudit Encoding	Research	●●●●● ●	●○○○○ ○	●●●●● ○	●●●●● ●	●●●●● ●	Optica paper demonstrates hybrid path-transverse electric mode qudit encoding on integrated photonic chip, advancing quantum scalability.
#28	arXiv MBQC Silicon Phot	Research	●●●●● ●	●○○○○ ○	●●●●● ○	●●●●● ●	●●●●● ●	arXiv paper demonstrates Measurement-Based Quantum Computing (MBQC) on 4-qubit silicon photonic chip with high fidelity.
#29	1.6 Tb/s/Wavelength	Trend Analysis	●●●○○ ○	●●●○○ ○	●●●●● ○	●●○○○ ○	●●●●● ○	Next-gen AI networks adapt to inference curve with 1.6 Tb/s/wavelength coherent optical platforms to resolve bottlenecks.
#30	arXiv Fiber Memory	Research	●●●●● ●	●○○○○ ○	●●●●● ●	●●●●● ●	●●●●● ●	arXiv paper proposes 'fiber memory' for LLM weights, potentially reducing AI accelerator energy consumption by over 70%.

#	Article Title	Type	Tech Novelty	Market Proximity	Market Impact	Data Reliability	US/EU Relevance	Summary
#31	Quantum Computing Energy	Trend Analysis	●●○○○ ○	●○○○○ ○	●●●○○ ○	●●○○○ ○	●●●●● ●	Quantum computing to impact data center energy consumption; Microsoft Majorana1, Amazon Ocelot development advances.
#32	PLANOPTIK Glass Wafers	New Product	●●○○○ ○	●●●●● ●	●●○○○ ○	●●●●● ○	●●●●● ●	PLANOPTIK provides customized glass wafers and panels for MEMS and photonics applications, enhancing wafer-level packaging.
#33	Silicon Photonics Market	Market Forecast	●○○○○ ○	●●●●● ●	●●●●● ●	●●●○○ ○	●●●●● ●	openPR.com predicts Silicon Photonics Market to reach \$34.34 Billion by 2035, driven by AI demand and LiDAR, Quantum Computing.
#34	GF/Tower IP War	Corporate Strategy	●●○○○ ○	●●●●● ○	●●●●● ○	●●●○○ ○	●●●●● ●	GlobalFoundries and Tower Semiconductor clash over patents, heating up the silicon photonics IP war.
#35	Aehr Test Systems Order	Corporate Update	●●○○○ ○	●●●●● ○	●●●○○ ○	●●●●● ○	●●●●● ●	Aehr Test Systems receives follow-on production order for FOX-XP Wafer-Level Burn-In system from lead silicon photonics customer.

●●●●○ High ●●●○○ Med-High ●●○○○ Med ●○○○○ Low | Yellow highlight = featured article

Three Questions That Demand Your Decision This Week

❶ Is your AI interconnect strategy ready for 2.5D/3D optical I/O?

Imec's roadmap and Marvell's Celestial AI acquisition signal a rapid shift beyond CPO. Evaluate if your current AI platforms can integrate these next-gen optical solutions or risk becoming obsolete.

❷ How exposed is your supply chain to critical InP component shortages?


Despite capacity boosts from Coherent and Semtech, demand for 800G/1.6T modules is outpacing supply. Assess your reliance on InP and explore diversification or alternative material strategies.

❸ Are you investing in photonic quantum computing to secure future AI advantages?

Breakthroughs in CMOS-compatible, room-temperature quantum photonic chips and qudit encoding are accelerating the field. Determine if your R&D; roadmap includes quantum computing for long-term AI capabilities.

Opportunities vs. Threats for US/European Companies

Opportunity vs. Threat Matrix for US/European Companies



Item	Quadrant	↑ Opportunity	↓ Threat
● AI Optic	Critical	New AI perf, market	Lagging adoption, cost
● InP Supply	Critical	Capacity investment	Shortage, cost volat
● SP IP War	Critical	IP licensing	Litigation, market
● Quantum PC	Opp.	Future AI/HPC, new	Long R&D;, high inv
● Fiber Mem	Opp.	Massive energy sav	Disruptive tech
● SWIR Sens	Ref.	Niche market growth	Limited scale
● LiDAR SP	Ref.	Automotive growth	Intense competitio

Deep Dive ① — Fiber Memory for LLM Efficiency

#30 | 2026/07/10 | arXiv | Tech Novelty●●●●● Proximity●○○○○ Market Impact●●●●● Data Reliability●●●●● US/EU Relevance●●●●●

A novel 'fiber memory' architecture is proposed for storing invariant Large Language Model (LLM) weights, reconfiguring optical fiber as an active recirculating delay line memory. This could eliminate redundant weight storage across 10,000 AI accelerators.

Simulations indicate a potential reduction of over 70% in weight delivery energy, dramatically improving AI data center power efficiency and contributing to the sustainability of large-scale AI systems.

► Strategic Analyst's Perspective

Strategic Analyst's Perspective: [Opportunity] This breakthrough could fundamentally re-architect AI data centers, offering massive energy savings and enabling larger, more sustainable LLMs. US/EU cloud providers and AI hardware developers could gain a significant competitive edge by investing early. [Threat] Companies reliant on traditional memory architectures for LLM deployment face obsolescence if this or similar optical memory solutions mature. The 70% energy reduction is highly optimistic but directionally sound. Technical barriers include integration complexity, optical signal degradation over long recirculation, and robust read/write mechanisms. Next Actions: [R&D;] Initiate feasibility studies and proof-of-concept projects for optical memory architectures within 6 months. [Strategy] Assess long-term impact on data center TCO and AI hardware roadmaps by Q4 2026.

Deep Dive ② — Imec's 2.5D/3D Optical I/O Vision

#01 | 2026/07/09 | EE Times | Tech Novelty●●●●○ Proximity●●○○○ Market Impact●●●●● Data Reliability●●●●○ US/EU Relevance●●●●●

Imec proposes an aggressive roadmap towards 2.5D and eventually 3D optical I/O, recognizing co-packaged optics (CPO) as insufficient for future AI system power demands. This aims to dramatically reduce power and increase bandwidth.

Achieving this vision necessitates advancements across optical devices, packaging, materials (beyond silicon photonics like III-V), and system architectures, fundamentally reshaping AI interconnects.

► Strategic Analyst's Perspective

Strategic Analyst's Perspective: [Opportunity] US/EU semiconductor and packaging firms can lead the development of next-gen optical materials (III-V), advanced 2.5D/3D integration techniques, and thermal management solutions. This roadmap creates new high-value component markets. [Threat] Companies solely focused on current CPO or electrical interconnects risk falling behind. The transition requires significant R&D; investment and ecosystem collaboration. Imec's roadmap is ambitious but technically plausible, though widespread commercialization is 5+ years away. Next Actions: [R&D;] Form cross-functional teams (photonics, packaging, materials) to evaluate Imec's roadmap and identify internal capability gaps by Q3 2026. [Business Dev] Engage with Imec and other consortia to influence future standards.

Deep Dive ③ — Marvell's Photonic Fabric Play

#15 | 2026/07/08 | 24/7 Wall St. | Tech Novelty●●●○○ Proximity●●●●○ Market Impact●●●●● Data Reliability●●●○○ US/EU Relevance●●●●●

Marvell Technology acquired Celestial AI for \$3.25 billion in February 2026, securing its advanced photonic fabric technology to enhance memory transfer efficiency via optical interconnects for AI.

This strategic acquisition aligns Marvell's product portfolio with the evolving AI ecosystem, positioning optical interconnects as key to resolving AI infrastructure bottlenecks and challenging NVIDIA.

► Strategic Analyst's Perspective

Strategic Analyst's Perspective: [Opportunity] US/EU OEMs and cloud providers can leverage Marvell's photonic fabric to build more energy-efficient and higher-performing AI data centers. This acquisition validates optical interconnects as a critical differentiator in the AI hardware race. [Threat] Competitors in AI accelerators and networking must rapidly develop or acquire similar optical interconnect capabilities to avoid being outmaneuvered by Marvell and its partners like Amazon. The \$3.25B valuation for Celestial AI is a strong market signal. Next Actions: [Procurement] Evaluate Marvell's 3.2T optical transceiver roadmap and potential integration into next-gen AI platforms by Q3 2026. [Strategy] Analyze competitive landscape for optical interconnect M&A; targets.

Other Notable Articles

arXiv Paper: CMOS-Compatible Quantum Photonic Chip Designed for Room-Temperature Operation Achieves High Accuracy in Machine Learning Tasks (arXiv)

Tech Novelty●●●●● Proximity●○○○○ Market Impact●●●●○

Room-temperature, CMOS-compatible quantum photonic chips for ML are a significant step towards practical quantum AI.

Octave-Spanning Deterministic Single Soliton Generation Achieved in 4H-SiC Microresonators at Low Threshold Power (DTU Research Database (Laser and Photonics Reviews))

Tech Novelty●●●●● Proximity●○○○○ Market Impact●●●○○

Breakthrough in 4H-SiC microresonators enables more energy-efficient, compact frequency comb sources for integrated photonics.

Coherent Invests \$50M to Quadruple 6-inch InP Wafer Capacity, Addressing Surging 1.6T Optical Module Demand (Yole Group)

Tech Novelty●●○○○ Proximity●●●●○ Market Impact●●●●○

Coherent's \$50M InP investment is critical for meeting 1.6T optical module demand, impacting AI data center supply chains.

openPR.com Predicts Photonic IC Market to Surge to \$107.66 Billion by 2035, Driven by AI Data Centers and High-Speed Communication Demand (openPR.com)

Tech Novelty●○○○○ Proximity●●●●● Market Impact●●●●●

Photonic IC market forecast to hit \$107.66B by 2035, driven by hyperscale data centers and AI accelerators.

GlobalFoundries and Tower Semiconductor Clash Over Patents: Silicon Photonics IP War Heats Up (Precision with Light)

Tech Novelty●●○○○ Proximity●●●●○ Market Impact●●●●○

Intensifying IP war between GlobalFoundries and Tower Semiconductor signals fierce competition in silicon photonics.

Recommended Actions This Week

Action recommendations based on article evaluation matrix and opportunity/threat analysis.

■ Immediate (this week)

- [Procurement] Conduct an immediate risk assessment of InP component supply chain for 800G/1.6T optical modules.
- [Strategy] Identify key competitors and potential M&A; targets in the photonic fabric and optical interconnect space.

■ Short-term (1 month)

- [R&D;] Establish a task force to evaluate Imec's 2.5D/3D optical I/O roadmap and its implications for future product development.
- [Legal/IP] Review silicon photonics patent portfolios and assess potential infringement risks or licensing opportunities.

■ Medium-long term (quarter+)

- [Executive] Develop a long-term strategy for integrating photonic computing and quantum computing into future AI infrastructure.
- [R&D;] Investigate novel memory architectures like 'fiber memory' for energy-efficient LLM deployment.

troy-technical.jp/en | Original curation. Article copyrights belong to respective authors. | Gemini API + Claude | 2026-07-12

Photonics — Selected Articles

Date: 2026-07-12

Articles: 35

Table of Contents

- #01 Imec Unveils 2.5D/3D Optical I/O Roadmap to Overcome CPO Limitations and Power AI's Future
- #02 1.6T Coherent Pluggables Redefine Power and Thermal Design with Advanced Symbol Rates and 2nm DSPs
- #03 AI Data Centers Face Persistent InP Component Shortage Despite Coherent and Semtech Capacity Boosts
- #04 Octave-Spanning Deterministic Single Soliton Generation Achieved in 4H-SiC Microresonators at Low Threshold Power
- #05 NVIDIA Drives Next-Gen AI Infrastructure with Strategic Investments in CPO, MicroLED, and OCS via Marvell, Lumentum, Coherent
- #06 Coherent Invests \$50M to Quadruple 6-inch InP Wafer Capacity, Addressing Surging 1.6T Optical Module Demand
- #07 Photonic IC Market Surges as AI Data Centers and High-Speed Networking Drive New Technology Initiatives from Infinera, Intel, NVIDIA, and more
- #08 Intel Market Research: LiDAR Silicon Photonic Chip Market Driven by ADAS and Autonomous Vehicle Demand, 2026-2034
- #09 Hamamatsu Photonics Unveils New InGaAs Area Image Sensor with 3500 Dynamic Range and 503 fps for Near-Infrared Hyperspectral Imaging
- #10 Market Intelo Predicts Growth in Photonic AI Interconnect Fabric Market Driven by AI Model Complexity and Data Center Efficiency
- #11 arXiv Paper: CMOS-Compatible Quantum Photonic Chip Designed for Room-Temperature Operation Achieves High Accuracy in Machine Learning Tasks
- #12 TrendForce Forecasts TSMC PIC Capacity to Soar to 25K Wafers/Month by 2028, with NVIDIA and Broadcom as Early COUPE Customers
- #13 arXiv Paper Highlights Xanadu's 216-Qubit Borealis Quantum Supremacy and PsiQuantum's Path to Million-Qubit Silicon Photonics
- #14 Arago Develops High-Performance, Energy-Efficient Photonic Computing Hardware for AI Workloads
- #15 Marvell Acquires Celestial AI for \$3.25B to Gain Photonic Fabric Tech, Elevates AI Revenue Outlook to Challenge NVIDIA
- #16 AIP Paper: Optical Quantum Computing Emerges as Key Platform Due to Room-Temperature Operation, Low Noise, and Scalability

- #17 Quantum Zeitgeist Forecasts Silicon Photonics Links to Achieve 6.4 Terabits by Early 2030s to Meet Growing AI Bandwidth Demand
- #18 Hamamatsu Photonics Drives Fairchild Imaging CMOS Sensors in Europe, Bolstering X-ray, Medical, Scientific, and Space Applications After 2024 Acquisition
- #19 3D InCites: Silicon Photonics Packaging Accounts for Half Product Value, Highlighting Challenges in Optical Guiding and Thermal Management
- #20 openPR.com Predicts Photonic IC Market to Surge to \$107.66 Billion by 2035, Driven by AI Data Centers and High-Speed Communication Demand
- #21 Seeking Alpha: Marvell's \$3.25B Celestial AI Acquisition and 3.2T Optical Transceiver Development Bolsters AI Market Competitiveness
- #22 China Accelerates Chip Race with New Photonics Advancements, Opens 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' in Collaboration with Lightelligence
- #23 PsiQuantum Pursues Million-Qubit Fault-Tolerant Quantum Computer on Silicon Photonics, Collaborating with GlobalFoundries
- #24 GoPhotonics Announces Hamamatsu Photonics' S14739-20 SWIR CMOS Image Sensor to Enhance Semiconductor Inspection and Industrial Process Monitoring
- #25 Marvell Issues Amazon Warrants Tied to Photonic Fabric Product Purchases by 2030 After Celestial AI Acquisition
- #26 openPR.com Predicts AI Data Center Optical Interconnect Market to Reach \$41.09 Billion by 2035, Driven by Intel's Demonstrated Co-packaged Optics
- #27 Optica Paper Demonstrates Hybrid Path-Transverse Electric Mode Qudit Encoding on Integrated Photonic Chip, Advancing Quantum Scalability
- #28 arXiv Paper: Measurement-Based Quantum Computing (MBQC) Demonstrated on 4-Qubit Silicon Photonic Chip, Achieving High Fidelity
- #29 TechRadar: Next-Gen AI Networks Adapt to Inference Curve with 1.6 Tb/s/Wavelength Coherent Optical Platforms
- #30 arXiv Paper Proposes 'Fiber Memory' for Large Language Model Weights, Potentially Reducing AI Accelerator Energy Consumption by Over 70%
- #31 Digitalisation World: Quantum Computing to Impact Data Center Energy Consumption; Microsoft Majorana1, Amazon Ocelot Development Advances
- #32 PLANOPTIK Provides Customized Glass Wafers and Panels for MEMS and Photonics Applications, Enhancing Wafer-Level Packaging
- #33 openPR.com Predicts Silicon Photonics Market to Reach \$34.34 Billion by 2035, Driven by AI Demand and Expanding Adoption in LiDAR, Quantum Computing

#34 GlobalFoundries and Tower Semiconductor Clash Over Patents: Silicon Photonics IP War Heats Up

#35 Aehr Test Systems Receives Follow-On Production Order from Lead Silicon Photonics Customer for FOX-XP Wafer-Level Burn-In System

#01 Imec Unveils 2.5D/3D Optical I/O Roadmap to Overcome CPO Limitations and Power AI's Future

Published July 09, 2026 EE Times USA

The Imec logo is displayed in a white, sans-serif font against a dark blue background.A photograph of an Imec factory floor, showing workers at computer workstations and rows of server racks in a dimly lit, industrial environment.

2.5D/3D optical I/O roadmap to solve AI power consumption challenges, surpassing CPO limits

OVERVIEW

Imec researchers are proposing an aggressive roadmap towards 2.5D and eventually 3D optical I/O, recognizing co-packaged optics (CPO) as insufficient for future AI system power demands. This approach aims to dramatically reduce power consumption and increase bandwidth by bringing optical devices closer to the processor die. Achieving this vision necessitates advancements across optical devices, packaging, materials (beyond silicon photonics), and system architectures, fundamentally reshaping AI interconnects.

Key Findings

Imec has laid out a visionary roadmap for AI systems, advocating for a transition beyond current co-packaged optics (CPO) to 2.5D and ultimately 3D optical I/O integration. This strategic shift is driven by the escalating power consumption challenges in AI, particularly as workloads move from training to inference. By positioning optical devices in closer proximity to the processor, this new paradigm promises substantial reductions in power and significant gains in bandwidth, addressing the most pressing bottlenecks in high-performance AI computing.

Technical Details

The industry is already moving from traditional pluggable transceivers to CPO, where optical engines are integrated into the same package as the switch ASIC, offering notable power savings. However, Imec's vision extends further, proposing "optical I/O" directly at the chip level. 2.5D integration would enhance inter-chiplet optical connectivity, while the ultimate goal of 3D integration involves vertically stacking optical interconnects within the processor stack itself, completely bypassing the limitations of electrical traces. This demands breakthroughs in novel optical materials beyond silicon photonics, such as III-V semiconductors, to create more efficient light emitters, modulators, and detectors. Furthermore, advanced packaging techniques for precise integration of microscopic optical and electronic components, alongside innovations in thermal management and power delivery, are critical for commercial viability. This evolution is expected to redefine the physical limits of data transfer within AI accelerators.

Background & Context

The exponential growth of AI has led to an insatiable demand for computational power and data transfer capabilities within data centers. Traditional electrical signaling is increasingly hitting fundamental physical limits in terms of power consumption, latency, and bandwidth density. AI inference, with its often more distributed memory access patterns compared to training, particularly benefits from low-latency, high-efficiency I/O. While CPO marks a significant improvement over pluggable solutions, Imec's roadmap anticipates the need for even tighter integration to support future AI models. This proactive approach aims to prevent the I/O fabric from becoming the limiting factor for massive AI clusters, allowing for the deployment of ever-larger and more powerful AI systems.

Strategic Significance & Outlook

Imec's call for 2.5D/3D optical I/O represents a critical inflection point for the future of AI computing infrastructure. Successful realization of this roadmap will require unprecedented collaboration across the semiconductor, optical component, packaging, and system integration industries to develop new standards and manufacturing processes. As this technology matures, it is poised to not only unlock new levels of AI performance but also contribute significantly to reducing the operational costs and environmental footprint of data centers, fostering a more sustainable and powerful digital ecosystem. The ability to move data with light at the chip scale will be a cornerstone of the next generation of AI innovation.

Source: <https://www.eetimes.com/as-ai-moves-from-training-to-inference-optics-moves-closer-to-the-chip/>

#02 1.6T Coherent Pluggables Redefine Power and Thermal Design with Advanced Symbol Rates and 2nm DSPs

Published July 09, 2026 MapYourTech USA



OVERVIEW

The transition to 1.6T coherent pluggable modules demands significant engineering innovation in symbol rate scaling, stringent DSP power limits, and advanced thermal management. OIF's 1600ZR/ZR+/CL projects and the IEEE 802.3dj task force are standardizing 200 Gb/s/lane electrical interfaces. Marvell's development of 2nm DSPs for 1.6T modules, alongside power targets from Cisco, Ciena, and Nokia, is crucial for addressing bandwidth and energy efficiency in AI data centers and long-haul communications.

Key Findings

The optical communications industry is undergoing a significant engineering transformation towards 1.6 Terabit (1.6T) coherent pluggable modules, with critical advancements focusing on symbol rate scaling, stringent DSP power consumption limits, and innovative host thermal designs. Key drivers for this evolution include the OIF's 1600ZR, 1600ZR+, and 1600CL projects, alongside the IEEE 802.3dj task force's work on 200 Gb/s/lane electrical interfaces.

Technical / Clinical Details

- **Symbol Rate Scaling:** While 800G modules typically operate at symbol rates around 130 Gbaud, 1.6T modules demand even higher rates. This necessitates the development of new optical components and DSP architectures capable of high-frequency performance.
- **DSP Power Consumption Limits:** Next-generation coherent pluggable modules require increased processing power but must adhere to strict power consumption envelopes due to form factor constraints. Leading vendors such as Cisco, Ciena, and Nokia have established specific power targets for 800G and 1.6T modules. Marvell, for instance, is developing 2nm DSPs for 1.6T modules, which are anticipated to deliver significant power efficiency improvements, crucial for meeting these targets.
- **Host Thermal Design:** As power dissipation in pluggable modules increases, host system thermal design becomes more complex and critical. Traditional air-cooling methods may prove insufficient, leading to exploration of advanced cooling solutions and new integration paradigms like Co-Packaged Optics (CPO).
- **Standardization Progress:** OIF and IEEE are laying essential groundwork for the interoperability and widespread adoption of 1.6T coherent pluggables. OIF's 1600ZR/ZR+/CL projects are defining specifications for Data Center Interconnect (DCI) and metro networks, while IEEE 802.3dj is standardizing electrical interfaces for future Ethernet generations.

Background & Context

The explosive growth of AI/ML workloads is driving unprecedented demand for bandwidth within and between data centers. This necessitates continuous evolution in optical communication technologies. As 800G coherent modules become mainstream, the transition to the 1.6T generation is an urgent imperative. However, the associated challenges of power consumption and thermal management are pushing the physical limits of pluggable modules, demanding fundamental shifts in approach to overcome these barriers. Addressing these challenges is paramount for sustaining the rapid pace of AI infrastructure development.

Strategic Significance & Outlook

The success of 1.6T coherent pluggable modules hinges on innovations in symbol rate technology, DSP capabilities, and thermal management. The development of 2nm process node DSPs by semiconductor manufacturers like Marvell signals a significant leap in power efficiency, garnering substantial industry attention. Furthermore, emerging technologies such as Co-Packaged Optics (CPO) and Linear Pluggable Optics (LPO), which aim to reduce DSP dependence, offer promising avenues for further optimizing power and cost. These technological advancements are set to enable higher speeds and greater energy efficiency in AI data centers, contributing to the development of sustainable digital infrastructure globally.

Source: <https://mapyourtech.com/1600zr-class-coherent-pluggables-what-changes-beyond-800g/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#03 AI Data Centers Face Persistent InP Component Shortage Despite Coherent and Semtech Capacity Boosts

Published July 06, 2026 Gaetano | Substack USA



OVERVIEW

The supply of Indium Phosphide (InP) components, critical for high-performance optical devices in AI data centers, remains constrained. While Coherent expands 6-inch InP wafer production and Semtech (via HieFo) plans InP gain chip capacity increases, demand for 800G and 1.6T modules, dominated by Broadcom, Lumentum, and Sumitomo Electric, outpaces these efforts. This ongoing supply bottleneck could directly impact the scalability of AI infrastructure.

Key Findings

The rapid expansion of AI data centers is highlighting critical supply constraints for Indium Phosphide (InP) components, which are essential for high-performance optical devices. While Coherent is scaling up its 6-inch InP wafer-based CW laser production and Semtech (via HieFo) is expanding its InP gain chip capacity, the current demand growth outstrips supply, maintaining a tight market. This persistent imbalance poses a significant challenge for the ongoing build-out of AI infrastructure.

Technical / Clinical Details

- **InP's Critical Role:** InP is a foundational material for high-performance lasers, such as Electro-absorption Modulated Lasers (EMLs) and Continuous Wave Distributed Feedback (CW-DFB) lasers, which are vital for high-speed, long-reach optical communications. These lasers are extensively used in 800G and future 1.6T optical modules within AI data centers, making their supply a central bottleneck.
- **Key Supplier Activities:**
 - **Coherent:** Has significantly expanded its 6-inch InP wafer production capacity, particularly for CW lasers, to address the surging demand from AI data centers.
 - **Semtech (via HieFo):** Is actively pursuing plans to increase its InP gain chip manufacturing capacity, contributing to the broader strengthening of the InP-based device supply chain.
 - **Market Leaders:** Broadcom, Lumentum, and Sumitomo Electric hold dominant market shares in the EML and CW-DFB laser segments, meaning their production capabilities largely dictate the overall supply landscape.
- **Demand-Supply Imbalance:** The demand for 800G and 1.6T optical modules is escalating exponentially due to the construction of massive AI computing clusters. In contrast, InP component manufacturing is a highly sophisticated process requiring substantial capital investment and specialized expertise, making rapid capacity expansion challenging and contributing to the current supply-demand mismatch.

Background & Context

As AI models grow in scale and complexity, the bandwidth requirements for inter-server communication within data centers and for inter-data center connectivity are increasing exponentially. This has led to a surge in demand for optical modules, especially ultra-high-speed 800G and 1.6T variants. The core components of these modules, InP-based lasers and chips, have consequently become critical choke points. While the semiconductor industry has faced global supply chain challenges in recent years, the rise of AI has shifted focus to new bottlenecks within the photonics sector, particularly those related to InP.

Strategic Significance & Outlook


The ongoing InP component supply constraint could, in the short term, temper the pace of AI infrastructure deployment. However, aggressive capacity expansion investments by key players like Coherent and Semtech are expected to alleviate supply pressures in the mid-to-long term. The industry is also likely to pursue optimization of InP material manufacturing processes, explore alternative materials, and diversify supply chains to enhance resilience. Stabilizing this supply is crucial for the sustained growth of AI data centers and the widespread adoption of next-generation optical communication technologies. Furthermore, there are indications of potential future oversupply, requiring careful market monitoring.

Source: <https://gaetano.substack.com/p/the-ai-optics-trade-shortage-today>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#04 Octave-Spanning Deterministic Single Soliton Generation Achieved in 4H-SiC Microresonators at Low Threshold Power

Published July 04, 2026 DTU Research Database (Laser and Photonics Reviews) デンマーク



OVERVIEW

Researchers at the Technical University of Denmark (DTU) have achieved a significant breakthrough by demonstrating octave-spanning, deterministic single soliton generation in high-quality (Q) 4H-Silicon Carbide-on-Insulator microring resonators. This innovation dramatically lowers the optical power threshold for soliton generation, paving the way for highly energy-efficient and high-performance frequency comb sources crucial for integrated photonics in telecommunications and various on-chip optical applications.

Background

Optical frequency combs, often described as "optical rulers," have become indispensable tools across a wide array of scientific and technological domains, from precision frequency metrology and high-accuracy time synchronization to broadband communications. Chip-scale microcombs, in particular, are attracting substantial interest due to their inherent compactness, low power consumption, and CMOS compatibility. These attributes position them for promising applications in areas such as high-speed optical interconnects for data centers, LiDAR, advanced sensing platforms, and quantum information processing. Despite their immense potential, a significant challenge has been the consistent generation of stable, single soliton states at low power consumption. Overcoming this hurdle and accelerating the practical deployment of microcomb technology necessitates the development of high-quality (Q) resonators leveraging novel materials like 4H-Silicon Carbide (SiC).

Key Findings

Researchers at the Technical University of Denmark (DTU) have made a pivotal advance in integrated photonics by successfully demonstrating octave-spanning, deterministic single soliton generation within high-quality (Q) 4H-Silicon Carbide-on-Insulator (SiC-on-insulator) microring resonators. This achievement marks a significant reduction in the optical power threshold necessary for soliton generation, thereby setting the stage for more energy-efficient and compact frequency comb sources crucial for future integrated photonic systems.

The team's success hinges on several key technical innovations:

At the heart of this innovation is the adoption of the **4H-Silicon Carbide-on-Insulator (SiC-on-insulator) platform**. 4H-SiC is renowned for its broad transparency window, high optical nonlinearity, and superior material properties. The SiC-on-insulator structure is particularly advantageous, offering exceptional optical confinement and robust thermal management, which are essential for fabricating high-Q microring resonators. Notably, SiC surpasses conventional materials like silicon nitride by providing a higher damage threshold and superior thermal conductivity, making it robust enough for high-power optical inputs.

The team successfully achieved ****deterministic single soliton generation**** by precisely controlling the pump power injected into the microring resonator. This meticulous control yields stable and reproducible single soliton states, critically avoiding the complexities associated with multi-soliton states or noisy non-soliton regimes. Such deterministic generation is paramount for enhancing the stability and reliability required for practical frequency comb applications.

The resultant single soliton frequency comb exhibits an impressive ****octave-spanning spectral width****, covering approximately 26 THz. This broad spectral coverage is invaluable for a diverse range of applications, including ultrashort pulse generation in the time domain, high-precision optical frequency metrology, advanced atomic clocks, and next-generation terahertz wave generation.


Crucially, the 4H-SiC platform facilitates ****soliton generation at significantly lower optical pump power**** compared to prior demonstrations. While specific power figures were not detailed in the summary, this reduction directly translates into substantially lower power consumption for the device. This efficiency gain accelerates the path towards portable and highly energy-efficient integrated photonic systems.

The profound impact of this achievement is anticipated across numerous sectors of integrated photonics. Low-power, on-chip frequency comb sources are poised to significantly boost the efficiency of coherent communication within AI data centers, enable advanced frequency generation for next-generation wireless communication (5G/6G), and facilitate precise optical control in emerging quantum computing platforms. Looking ahead, future research will concentrate on enhancing integration density, achieving seamless electro-optical integration, and combining these advancements with other photonic devices to realize comprehensive system-on-chip (SoC) solutions.

Source: <https://orbit.dtu.dk/en/publications/octave-spanning-deterministic-single-soliton-generation-in-4h-silic>

#05 NVIDIA Drives Next-Gen AI Infrastructure with Strategic Investments in CPO, MicroLED, and OCS via Marvell, Lumentum, Coherent

Published July 09, 2026 36氪 (36Kr) China



OVERVIEW

NVIDIA is making substantial strategic investments in optical technology firms such as Marvell, Lumentum, and Coherent, positioning Co-Packaged Optics (CPO), MicroLED, and Optical Circuit Switches (OCS) as foundational technologies for future AI infrastructure. By harnessing light's inherent physical advantages over electrical signals, these initiatives aim to overcome the high costs and power consumption of current optical modules, dramatically enhancing AI data center performance and efficiency.

Background

The burgeoning demands of AI workloads are drastically increasing data center power consumption and cooling costs. Specifically, high-speed communication between GPUs and massive data movement in large-scale AI model training are pushing the limits of traditional electrical wiring in terms of bandwidth, latency, and power. Consequently, the industry recognizes optical technology as key to solving fundamental AI infrastructure challenges, prompting major technology companies like NVIDIA to accelerate investments in optical communications. This trend signifies a blurring of boundaries between the semiconductor and optical communications industries.

Key Findings

Optical communication is rapidly emerging as a central strategic direction for AI infrastructure, with NVIDIA actively driving this paradigm shift through strategic investments in key photonics companies such as Marvell, Lumentum, and Coherent. These investments aim to overcome the high costs and power consumption associated with Digital Signal Processors (DSPs) in current optical modules, thereby dramatically enhancing AI data center performance and efficiency.

To maximize AI computational power and resolve bottlenecks in traditional electrical interconnects, NVIDIA has made strategic investments across the optical communication supply chain. This includes Marvell, a leader in high-performance networking chips and optical device integration; Lumentum, known for optical modules and laser technologies; and Coherent, strong in VCSELs and Indium Phosphide (InP)-based lasers.

NVIDIA specifically advocates for three pivotal next-generation optical technologies, leveraging light's inherent physical advantages over electrical signals—including less signal attenuation over long distances and immunity to electromagnetic interference, benefits demonstrated over decades in submarine cables and inter-city networks:

- **Co-Packaged Optics (CPO):** Integrates optical engines directly adjacent to network switches or processor chips, significantly shortening electrical signal paths. This dramatically reduces power consumption and latency, enabling high-speed, high-density interconnects within AI clusters. CPO is also key to reducing DSP dependence, mitigating current challenges.

- **MicroLED:** While primarily known for display technology, MicroLEDs are anticipated as ultra-fast, low-power optical interconnects for short-range data center connections and future chip-to-chip communication.
- **Optical Circuit Switches (OCS):** In large-scale data centers, OCS routes optical signals directly without electrical conversion, thereby reducing power consumption and latency, and enhancing network flexibility and efficiency.

NVIDIA's aggressive investment and technological promotion in optics are expected to bring about a significant transformation in AI data center architectures. As CPO, MicroLED, and OCS technologies mature and are widely adopted, AI computing performance is projected to further improve, accompanied by enhanced energy efficiency. This will accelerate the continued evolution of AI and its application across a broader range of industrial sectors. However, the commercialization of these advanced optical technologies will still face challenges in reducing manufacturing costs, establishing standardization, and ensuring compatibility with existing infrastructure.

Source: <https://www.36kr.com/p/2849303358040448>

#06 Coherent Invests \$50M to Quadruple 6-inch InP Wafer Capacity, Addressing Surging 1.6T Optical Module Demand

Published July 10, 2026 Yole Group France



OVERVIEW

Coherent announced a \$50 million investment to quadruple its 6-inch Indium Phosphide (InP) wafer production capacity. This strategic move aims to meet the explosive demand for 1.6T optical modules, driven by AI data centers. The 6-inch wafer technology enhances Coherent's competitive edge by increasing die-per-wafer and reducing cost-per-device, critical for scaling 1.6T module production for both pluggable optics and CPO. This strengthens Coherent's position in the next-gen optical communications supply chain.

Key Findings

Coherent has announced a significant \$50 million investment to quadruple its 6-inch Indium Phosphide (InP) wafer production capacity. This aggressive strategic move is aimed at addressing the anticipated explosive demand for 1.6 Terabit (1.6T) optical modules, driven by the rapid growth of AI data centers. The adoption of 6-inch wafer technology is expected to establish Coherent's competitive advantage by increasing the number of dies per wafer and substantially reducing the cost per device, proving indispensable for scaling 1.6T module production in both pluggable and Co-Packaged Optics (CPO) formats.

Technical / Clinical Details

- **Advantages of 6-inch InP Wafer Technology:**
 - **Cost Efficiency:** Compared to conventional 2-inch or 4-inch wafers, 6-inch InP wafers enhance manufacturing process efficiency, allowing for the production of significantly more chips (dies) per wafer. This reduces the cost of individual InP devices and improves economies of scale for large-volume production.
 - **Production Scale-Up:** Larger wafer sizes dramatically increase the number of InP gain chips and laser diodes that can be produced per unit time. This is crucial for resolving potential bottlenecks in meeting the surging demand for 1.6T optical modules.
 - **Yield Improvement:** As the manufacturing process for larger wafers matures, there is potential for long-term improvements in good die yield per wafer, further optimizing overall production costs.
- **Impact on 1.6T Optical Modules:** 1.6T optical modules are foundational for achieving the ultra-high-speed data transmission required by AI/ML workloads. These modules critically depend on high-performance InP-based lasers and modulators, and Coherent's capacity expansion ensures their stable supply.

- **Pluggable Modules and CPO:** Coherent's InP technology is applicable not only to standard pluggable optical modules but also to future Co-Packaged Optics (CPO) solutions. CPO, which places optical devices in close proximity to switching ASICs, significantly shortens electrical pathways, thereby reducing power consumption and latency. InP-based lasers will be a core component of CPO architectures.

Background & Context

The evolution of AI is placing unprecedented demands on data center bandwidth and energy efficiency. Specifically, training and inference for large AI models require data transmission capabilities exceeding tens of terabits per second, coupled with drastic reductions in power consumption per bit. Against this backdrop, 1.6T optical modules, succeeding the 800G generation, are expected to form the backbone of future AI infrastructure. InP is an indispensable material for providing high-performance laser sources that are challenging to realize with silicon photonics, making its supply capacity a critical factor influencing the growth of the entire industry.

Strategic Significance & Outlook

Coherent's substantial investment in 6-inch InP wafer manufacturing will solidify its strategic position in the optical communications market, particularly within the AI data center segment. This move will establish Coherent as a dominant component supplier for 1.6T optical modules, providing a clear competitive advantage. This capacity expansion is expected to alleviate short-term InP component supply tightness, accelerate the deployment of AI data centers, and in the long term, improve the cost-performance ratio of optical communication technologies, thereby promoting their broader adoption across various applications.

Source: <https://www.yolegroup.com/coherent-nvidia-50-million-inp-6-inch-wafer-expansion/>

#07 Photonic IC Market Surges as AI Data Centers and High-Speed Networking Drive New Technology Initiatives from Infinera, Intel, NVIDIA, and more

Published July 09, 2026 openPR.com USA



OVERVIEW

The photonic IC market is rapidly expanding, propelled by demand from AI data centers and high-speed networking. Infinera leads in InP-based PIC design, while Intel, NVIDIA, Fujitsu, NEC, Cisco, Broadcom, and NTT are all making significant advancements in next-gen silicon photonics, CPO, and integrated optical networking. These innovations aim to boost bandwidth, energy efficiency, and high-speed data transmission for AI and cloud applications.

Key Findings

The Photonic Integrated Circuit (PIC) market is experiencing a rapid surge, driven by the escalating demands of AI data centers and high-speed networking. Leading technology companies are accelerating the development and deployment of innovative PIC technologies to expand bandwidth, improve energy efficiency, and enable high-speed data transmission. Infinera, in particular, is taking a leading role in InP (Indium Phosphide)-based PIC design.

Technical / Clinical Details

- **Infinera's InP-based PIC Design:** Infinera has long leveraged InP-based PIC technology, especially in long-haul coherent optical communication, establishing itself as a leader in its design and manufacturing. InP is an optimal material for high-speed lasers and modulators, offering high integration density and superior performance.

- **Major Company Activities and New Technologies:**

- **Intel (June 2026):** Announced next-generation silicon photonic transceivers, pushing the boundaries of optical integration on silicon platforms to achieve high-density, energy-efficient connectivity in AI data centers.
- **NVIDIA (May 2026):** Promoting Co-Packaged Optics (CPO) technology, aiming for significant power consumption reduction and shortened electrical paths by integrating GPUs or AI processors with optical engines within the same package.
- **Fujitsu (May 2026):** Introduced advanced photonic IC technologies, offering solutions that contribute to faster and more power-efficient communication networks.
- **NEC (April 2026):** Strengthening R&D in photonic integrated circuit technology, targeting applications in next-generation optical transmission systems and network infrastructure.
- **Cisco:** Providing end-to-end solutions across optical communication systems, with PIC technology at its core, to enhance the performance of data center and carrier networks.
- **Broadcom (April 2026):** Unveiled integrated optical networking chips, achieving system simplification and efficiency through high-level integration of switching ASICs and optical components.
- **NTT (June 2026):** Pursuing cutting-edge research in photonic ICs, developing foundational technologies for the realization of an All-Photonics Network under its IOWN concept.

- **Market Growth Drivers:** The activities of these companies are driven by the immense data bandwidth required by AI/ML workloads, the expansion of cloud services, and the imperative for energy efficiency to reduce environmental impact. PICs are recognized as the optimal solution to meet these demands.

Background & Context

The explosive increase in data traffic within data centers has revealed bottlenecks in traditional electrical signal transmission. In AI computing, high-speed, low-latency communication between GPUs and nodes is indispensable, accelerating the shift towards optical technologies. Photonic ICs are attracting attention as an ideal solution to this challenge, enabling miniaturization, lower power consumption, higher performance, and reduced manufacturing costs by integrating multiple optical components onto a single chip. Major players are competitively driving the standardization and commercialization of PIC technology, leveraging their respective strengths.

Strategic Significance & Outlook

The photonic IC market is projected to expand further in the coming years due to the sustained growth of AI data centers and high-speed networking. The interplay and collaboration between different material platforms—such as silicon photonics, InP, and silicon nitride (SiN)—will be crucial. Technologies like NVIDIA's CPO and Intel's silicon photonics hold the potential to further advance chip-to-optics integration, dramatically improving system-level energy efficiency and performance. As these technologies mature and their ecosystems become established, optical communication will likely become the de facto standard for information infrastructure in the age of AI.

Source: <https://www.openpr.com/news/3588979/photonic-ic-market-surges-as-ai-data-centers-and-high-speed>

#08 Intel Market Research: LiDAR Silicon Photonic Chip Market Driven by ADAS and Autonomous Vehicle Demand, 2026-2034

Published July 07, 2026 Intel Market Research USA



OVERVIEW

This article provides an overview of a market research report published by Intel Market Research. The report forecasts that the LiDAR silicon photonic chip market will be significantly driven by the proliferation of ADAS and autonomous driving platforms between 2026 and 2034. Silicon photonic chips are anticipated to reduce system complexity, enable mass production, and lower costs due to their compact size, high precision, and co-packaging capabilities with existing electronic architectures.

Key Findings

This article serves as an overview of a market research report published by Intel Market Research. The report provides comprehensive insights into the LiDAR silicon photonic chip market, projecting its trajectory from 2026 to 2034. A primary finding is that the increasing adoption of Advanced Driver-Assistance Systems (ADAS) and autonomous driving platforms is a crucial accelerator for demand in compact, high-precision LiDAR modules. Silicon photonic chips are highlighted as a key enabling technology due to their capacity for co-packaging with existing electronic architectures, which is expected to simplify system design, facilitate mass production, and significantly reduce overall costs.

Technical / Clinical Details

The report emphasizes the transformative potential of silicon photonic chips in the LiDAR sector. Their inherent advantages in miniaturization, high performance, and compatibility with standard semiconductor manufacturing processes allow for the creation of more integrated and robust LiDAR systems. This integration reduces the need for discrete optical components, leading to smaller form factors and enhanced reliability—critical factors for automotive applications where space and environmental resilience are paramount. The ability to co-package these photonic chips with electronic control units streamlines the manufacturing process, making advanced LiDAR technology more accessible and economically viable for widespread deployment in both ADAS and fully autonomous vehicles. While specific market sizing and Compound Annual Growth Rate (CAGR) figures are not detailed in this summary, the report underscores the profound impact of ADAS and autonomous driving as primary market drivers.

Background & Context

The automotive industry is undergoing a profound transformation driven by the quest for greater safety and autonomy. LiDAR technology, which provides high-resolution 3D mapping of environments, is central to this evolution. However, traditional LiDAR systems have often been bulky, expensive, and complex, hindering their broad adoption. Silicon photonics offers a solution by leveraging mature silicon manufacturing processes to create optical circuits on a chip, bringing the benefits of semiconductor scalability to photonics. This paradigm shift addresses the historical barriers to LiDAR deployment, making it a more practical and integrated component for future mobility solutions.

Strategic Significance & Outlook

The projected growth of the LiDAR silicon photonic chip market signifies a critical inflection point for the automotive and semiconductor industries. Companies investing in silicon photonics for LiDAR are positioning themselves at the forefront of the autonomous vehicle revolution. The cost-reduction and performance benefits offered by this technology will democratize advanced safety features, accelerating the transition towards fully autonomous driving. This market segment will likely see increased competition and innovation, with a focus on further integration, power efficiency, and cost optimization to meet the stringent demands of mass-market automotive applications. The strategic importance extends beyond automotive, influencing industrial automation and smart infrastructure as well.

Source: <https://www.intelmarketresearch.com/lidar-silicon-photonic-chip-market-55201>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#09 Hamamatsu Photonics Unveils New InGaAs Area Image Sensor with 3500 Dynamic Range and 503 fps for Near-Infrared Hyperspectral Imaging

Published July 03, 2026 Engineer Live UK



OVERVIEW

Hamamatsu Photonics has announced an advanced InGaAs area image sensor optimized for near-infrared hyperspectral imaging. The new sensor boasts a dynamic range of 3500 and a high frame rate of 503 frames per second (fps), enabling precise and rapid data acquisition. Featuring low dark current and multi-line readout capabilities, this sensor is poised to revolutionize industrial applications such as metal detection, agriculture, food inspection, and material analysis, offering unprecedented real-time monitoring and analysis capabilities.

Key Findings

Hamamatsu Photonics has introduced a high-performance InGaAs area image sensor specifically designed for near-infrared hyperspectral imaging. This sensor achieves an exceptional dynamic range of 3500, a remarkably high frame rate of 503 frames per second (fps), and superior low dark current characteristics. These features collectively promise to significantly enhance the accuracy and real-time analytical capabilities of imaging across a broad spectrum of industrial applications.

Technical Details

The newly developed InGaAs area image sensor is optimized for both high sensitivity and speed in the Short-Wave Infrared (SWIR) region. Its 3500 dynamic range allows for simultaneous capture of both extremely bright and dim areas with high fidelity, providing comprehensive information from complex scenes. The 503 fps frame rate facilitates continuous data acquisition for fast-moving objects or real-time processes, dramatically improving inspection and monitoring efficiency. Furthermore, the low dark current design ensures a high signal-to-noise ratio (SNR) even during long exposures or when detecting faint signals, bolstering imaging reliability. The inclusion of multi-line readout functionality enables high-speed readout of specific regions of interest (ROI), optimizing data processing and improving overall system responsiveness.

Background & Context

Near-infrared hyperspectral imaging is gaining increasing importance across various industries due to its ability to extract information about material composition and state that is invisible to the human eye. For instance, it is used in agriculture for crop quality assessment and early disease detection, in food inspection for foreign object detection and freshness evaluation, and in material analysis for uniformity assessment and defect detection. Conventional sensors have struggled to simultaneously meet the demands for high sensitivity, high speed, and wide dynamic range. Hamamatsu Photonics' new sensor addresses these limitations, offering more precise and efficient inspection and analysis solutions. This advancement is expected to accelerate quality control, enhance production efficiency, and foster the development of new applications in industrial processes.

Strategic Significance & Outlook

This InGaAs area image sensor is anticipated to be widely adopted in fields where fast and high-precision near-infrared imaging is indispensable, such as advanced automated inspection systems, real-time quality control, precision agriculture, and medical diagnostic equipment. Hamamatsu Photonics' technological innovation is set to expand the applicability of hyperspectral imaging, contributing to the resolution of previously intractable problems and potentially accelerating growth in related industries. Further enhancements and miniaturization are expected as the market provides feedback and new application opportunities arise.

Source: <https://engineerlive.com/ingaas-area-image-sensors-near-infrared-hyperspectral-imaging-hamamatsu-photonics/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#10 Market Intelo Predicts Growth in Photonic AI Interconnect Fabric Market Driven by AI Model Complexity and Data Center Efficiency

Published July 04, 2026 Market Intelo USA



OVERVIEW

This article provides an overview of a market research report published by Market Intelo, analyzing the current state and future growth of the Photonic AI Interconnect Fabric Market. Key drivers identified include the increasing complexity of AI models, bandwidth bottlenecks in GPU clusters, and data center power efficiency requirements. Major players in this evolving sector include Celestial AI, Intel, Ayar Labs, Lightmatter, Ranovus, and Broadcom.

Key Findings

This article presents an overview of a market research report issued by Market Intelo, focusing on the Photonic AI Interconnect Fabric market. The report identifies that the escalating complexity of AI models, persistent bandwidth bottlenecks within GPU clusters, and stringent data center power efficiency demands are the primary drivers propelling this market's growth. Leading companies such as Celestial AI, Intel, Ayar Labs, Lightmatter, Ranovus, and Broadcom are highlighted as key players shaping this rapidly evolving technological landscape.

Technical / Clinical Details

The report underscores that as AI models become more sophisticated and data-intensive, the limitations of traditional electrical interconnects become increasingly apparent, particularly in GPU-dense environments. These bottlenecks hinder the full potential of AI systems, leading to performance degradation and increased latency. Photonic AI interconnect fabrics offer a solution by leveraging light for data transmission, which provides significantly higher bandwidth, lower latency, and dramatically improved energy efficiency compared to electrical signals. This shift is crucial for supporting the massive data flows required for advanced AI training and inference. The mentioned key players are actively developing and deploying integrated silicon photonics solutions, co-packaged optics, and other advanced optical interconnect technologies to meet these demands. While specific market sizing or growth rate figures are not explicitly provided in this summary, the analysis strongly indicates a robust growth trajectory driven by the insatiable demand for more capable AI infrastructure.

Background & Context

The rapid expansion of artificial intelligence applications has placed immense pressure on existing data center infrastructure. The 'memory wall' and 'power wall' challenges are becoming more pronounced, as moving data between processing units consumes disproportionately more energy and time than computation itself. Photonic interconnects directly address these fundamental limitations by enabling faster, more efficient data movement at scale. The growing recognition of these benefits is driving substantial investment and innovation in optical communication technologies, repositioning photonics as a core component of future high-performance computing and AI ecosystems.

Strategic Significance & Outlook


The projected growth of the Photonic AI Interconnect Fabric market is highly significant for the semiconductor and data center industries. Companies that successfully develop and integrate these technologies will gain a competitive edge in providing scalable and sustainable solutions for AI. This market shift represents a strategic imperative for hardware developers and cloud service providers alike, as it directly impacts the cost, performance, and environmental footprint of AI operations. The ongoing innovation from the listed key players suggests a dynamic competitive landscape focused on integration, standardization, and broadening the adoption of photonic solutions across the AI value chain.

Source: <https://marketintelo.com/report/photonic-ai-interconnect-fabric-market>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#11 arXiv Paper: CMOS-Compatible Quantum Photonic Chip Designed for Room-Temperature Operation Achieves High Accuracy in Machine Learning Tasks

Published July 09, 2026 arXiv USA



OVERVIEW

An arXiv paper details the design and benchmarking of a quantum photonic processor operating at room temperature, built with CMOS-compatible manufacturing processes. This chip encodes quantum systems within single photons and achieved higher accuracy than classical networks in specific machine learning tasks. This breakthrough leverages existing semiconductor manufacturing infrastructure, marking a significant step towards practical quantum computing with implications for energy efficiency and scalability in future quantum AI applications.

Key Findings

A recent research paper published on arXiv reports the detailed design and benchmarking of a quantum photonic processor built using a CMOS-compatible manufacturing process, capable of stable operation at room temperature. This innovative chip efficiently encodes quantum information within individual photons and has demonstrated significantly higher accuracy compared to traditional classical neural networks in specific machine learning tasks.

Technical Details

The quantum photonic chip developed in this study leverages standard CMOS foundry processes, which offers substantial potential for cost reduction and scalability in large-scale production. The chip architecture integrates key components such as optical waveguides, beam splitters, phase shifters, and single-photon detectors. Quantum systems are realized by encoding information in the degrees of freedom of individual photons, such as path or polarization. A notable advantage is the chip's room-temperature operation, which drastically reduces operational costs and complexity compared to many other quantum computing platforms requiring cryogenic environments. Benchmarking results for machine learning tasks like image classification and pattern recognition demonstrated that the chip could achieve accuracy levels beyond the reach of classical networks with fewer resources. This indicates that directly harnessing the quantum properties of photons can lead to higher computational efficiency and performance for certain types of algorithms.

Background & Context

Quantum computing is anticipated to revolutionize various fields, including drug discovery, materials science, financial modeling, and artificial intelligence. However, the generation and maintenance of stable qubits, along with the construction of scalable systems, remain significant challenges. Photonic quantum computing has emerged as a promising approach due to the advantages of photons, such as their robustness against environmental noise and the potential for room-temperature operation. Compatibility with existing CMOS processes is a crucial accelerator for the practical realization of quantum computing, as it allows the leveraging of established semiconductor manufacturing infrastructure.

Strategic Significance & Outlook


This research on quantum photonic chips marks a significant milestone in enhancing the practicality and accessibility of quantum computing for commercialization. Its application in quantum machine learning, in particular, holds the potential to expand AI capabilities, tackling complex problems that are intractable for current classical AI systems. Future research is expected to focus on increasing the number of qubits, integrating error correction functionalities, and implementing more complex quantum algorithms. The realization of room-temperature operation could substantially accelerate the deployment of quantum computers in data centers and industrial applications, potentially transforming the future of quantum AI.

Source: <https://arxiv.org/html/2607.06488v2>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#12 TrendForce Forecasts TSMC PIC Capacity to Soar to 25K Wafers/Month by 2028, with NVIDIA and Broadcom as Early COUPE Customers

Published July 08, 2026 TrendForce Taiwan



OVERVIEW

TrendForce projects TSMC's Photonic Integrated Circuit (PIC) wafer production capacity will surge to 25,000 wafers per month by 2028, a critical step for mass production of Co-Packaged Optics (CPO). NVIDIA and Broadcom are expected to be early adopters of TSMC's COUPE platform, addressing the escalating demand for high-speed optical interconnects in data center and AI infrastructure. This capacity expansion will significantly influence the semiconductor supply chain and technology roadmap for the coming AI era.

Key Findings

Market research firm TrendForce has predicted that TSMC, the world's largest foundry, is set to significantly expand its wafer production capacity for Photonic Integrated Circuits (PICs) to 25,000 wafers per month by 2028. This strategic move is intended to accelerate the mass production readiness of Co-Packaged Optics (CPO) for AI and high-performance computing (HPC) applications. NVIDIA and Broadcom are strongly anticipated to be initial customers for TSMC's COUPE platform.

Technical Details

TSMC's projected increase to 25,000 PIC wafers per month represents a monumental jump from current production levels, signifying a crucial infrastructure investment to meet the explosive demand for optical interconnects in data centers and AI systems. CPO technology involves integrating optical transceivers directly into the same package as host chips like CPUs or GPUs, which offers substantial benefits over traditional pluggable optical modules. These benefits include reduced power consumption, increased bandwidth density, and lower signal latency. TSMC's COUPE (Co-Uniting Optics and Electronic) platform is the foundational technology enabling such advanced optoelectronic integration, combining silicon photonics with cutting-edge packaging techniques. NVIDIA and Broadcom, as leaders in AI accelerators and network switches, are keen to integrate CPO technology into their next-generation products to maximize performance and energy efficiency.

Background & Context

As AI models grow in size and complexity, the immense volume of data movement between chips within data centers has become a significant bottleneck, also contributing to escalating power consumption. Traditional electrical signaling is increasingly unable to cope with these challenges, making the transition to optical interconnects, particularly CPO, an imperative. The substantial capacity expansion by a major foundry like TSMC is critical for moving CPO technology from the research and development phase to mass production, establishing its status as a core infrastructure technology for the AI era. This move is expected to further accelerate the growth of the overall AI semiconductor market.

Strategic Significance & Outlook

TSMC's PIC capacity expansion will have a profound positive impact across the entire CPO supply chain, creating new business opportunities for related materials, equipment, and testing companies. The adoption of the COUPE platform by NVIDIA and Broadcom will encourage other AI accelerator and network device manufacturers to integrate CPO technology, driving industry-wide standardization and ecosystem development. The target of 25,000 wafers per month by 2028 signals a strong commitment to a future where optical communication technology is fully integrated into the heart of AI infrastructure.

Source: <https://www.trendforce.com/news/2026/07/08/news-tsmc-pic-capacity-seen-surging-to-25k-wafersmonth-by-2028-nvidia-broadcom-eyed-as-early-coupe-customers/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#13 arXiv Paper Highlights Xanadu's 216-Qubit Borealis Quantum Supremacy and PsiQuantum's Path to Million-Qubit Silicon Photonics

Published July 09, 2026 arXiv USA



OVERVIEW

An arXiv review paper discusses Xanadu's demonstration of quantum supremacy with its 216-qubit Borealis processor and PsiQuantum's drive to develop a 1 million-qubit fault-tolerant quantum computer using silicon photonics. The paper highlights the advantages of photonic qubits, such as room-temperature operation and low-noise environments, while also addressing challenges in scalability and error correction. It underscores photons as a key physical platform for quantum computing.

Key Findings

A recent review paper on quantum computing, published on arXiv, spotlights two pivotal developments in the field. First, it acknowledges Xanadu's demonstration of quantum supremacy using its 216-qubit Borealis processor, showcasing the ability to solve computational problems intractable for classical computers. Second, it highlights PsiQuantum's ambitious pursuit of a 1 million-qubit fault-tolerant quantum computer, built upon silicon photonics technology.

Technical Details

Xanadu's Borealis processor achieved superior performance over classical supercomputers in a specific computational problem known as Gaussian boson sampling. This was realized through a continuous-variable (CV) quantum computing approach that leverages photons as qubits, utilizing a combination of specific photon sources and detectors. PsiQuantum's strategy, conversely, maximizes the scalability inherent in silicon photonics technology and its compatibility with existing semiconductor manufacturing processes. The company aims to integrate millions of photon sources, detectors, and interferometers onto a single chip to achieve its 1 million-qubit target. The review paper emphasizes key advantages of photonic qubits, notably their ability to operate at room temperature and their inherent resistance to environmental noise. This significantly reduces the system complexity and operational costs compared to other physical platforms, such as superconducting qubits, which require cryogenic environments. However, challenges in constructing large-scale photonic quantum computers include the efficiency and purity of single-photon sources, reducing photon loss, and designing advanced architectures for error correction.

Background & Context

Quantum computing holds the promise of delivering transformative solutions across diverse sectors, including drug discovery, materials science, optimization, and financial modeling. However, realizing this potential is contingent on overcoming significant hurdles in qubit scalability and error correction. Demonstrations of quantum supremacy, like Xanadu's, provide crucial evidence that quantum computers can indeed outperform classical counterparts for specific tasks. PsiQuantum's commitment to silicon photonics is a strategic move to leverage the established semiconductor manufacturing ecosystem, aiming to enable industrial-scale production of quantum computers. Photonic-based platforms, owing to their intrinsic properties, are well-positioned to become central to future quantum information processing.


Strategic Significance & Outlook

The advancements by companies such as Xanadu and PsiQuantum are rapidly accelerating the field of photonic quantum computing. Future progress is expected to focus on further increasing qubit counts and integrating advanced error correction techniques to achieve more versatile and fault-tolerant quantum computers. Silicon photonics will remain an indispensable technology for this goal due to its scalability and manufacturing compatibility. The practical deployment of photonic quantum computers offers novel approaches to problems currently beyond the reach of classical AI technologies, promising to exert a profound impact on science and society.

Source: <https://arxiv.org/pdf/2607.07222>

#14 Arago Develops High-Performance, Energy-Efficient Photonic Computing Hardware for AI Workloads

Published July 06, 2026 Dakota USA



OVERVIEW

Arago, a deep-tech company highlighted in a Dakota report, is developing innovative photonic computing hardware specifically for artificial intelligence workloads. Leveraging light-based processing, Arago aims to deliver unparalleled performance and superior energy efficiency compared to traditional electronic computing. This technology holds significant potential for addressing the challenges of increasing AI model complexity and rising data center power consumption, positioning Arago for a strong market presence.

Key Findings

Arago, a deep-tech company spotlighted in a recent Dakota report as one of the 'Top 5 Companies Likely to Transact,' is gaining significant attention for its development of photonic computing hardware tailored for Artificial Intelligence (AI) workloads. By utilizing light-based processing technology, Arago aims to provide unparalleled performance and superior energy efficiency compared to conventional electronic computing paradigms.

Technical Details

Arago's photonic computing hardware executes computations using photons instead of electrical signals. This approach inherently enhances signal transmission speed and dramatically reduces heat generation and power loss associated with electrical resistance. AI workloads, particularly the training and inference of large neural networks, demand massive parallel computations and high-speed data movement. Arago's technology addresses these requirements by employing a unique architecture that leverages wavelength division multiplexing and optical interference. This is expected to enable terabit-per-second data transfer rates and substantial improvements in computational power per watt. While specific performance metrics are not publicly disclosed, the technology holds the potential for dramatic energy efficiency gains while maintaining compatibility with existing semiconductor processes. This directly contributes to reducing operational costs and improving the sustainability of AI data centers.

Background & Context

The rapid advancement of AI presents significant challenges to existing computing infrastructure. Data center power consumption, in particular, has seen explosive growth, raising concerns about both environmental impact and operational costs. Furthermore, the physical limitations of electrical signals create bottlenecks in data transfer speeds between chips and within systems, impeding the scaling of AI models. Photonic computing is one of the most promising next-generation computing technologies capable of breaking through these 'power wall' and 'communication wall' barriers. The entry of innovative startups like Arago into this field, offering novel solutions, is expected to intensify competition within the AI hardware market.

Strategic Significance & Outlook

Arago's photonic computing technology has the potential to fundamentally transform the performance and efficiency of AI infrastructure. As a deep-tech company, the maturation and commercial-scale deployment of its technology could significantly impact the AI accelerator market. Strong interest is anticipated from cloud providers and major technology companies requiring high-performance computing solutions. Future developments will focus on how Arago brings its products to market and integrates them into the existing AI hardware ecosystem. The company's success will serve as an important indicator for the broader adoption of photonic computing technology.

Source: <https://www.dakota.com/resources/blog/top-5-companies-likely-to-transact-july-6-2026>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#15 Marvell Acquires Celestial AI for \$3.25B to Gain Photonic Fabric Tech, Elevates AI Revenue Outlook to Challenge NVIDIA

Published July 08, 2026 24/7 Wall St. USA



OVERVIEW

Marvell Technology acquired Celestial AI for \$3.25 billion in February 2026, securing its advanced photonic fabric technology. This strategic acquisition aligns Marvell's product portfolio with the evolving AI ecosystem, and strong AI-related bookings have led to an increased revenue outlook. Positioning optical interconnects as key to resolving AI infrastructure bottlenecks, Marvell is solidifying its role as a major player in the AI semiconductor market alongside NVIDIA, crucial for enhancing data center performance and energy efficiency.

Key Findings

Marvell Technology significantly bolstered its competitive position in the AI semiconductor market by acquiring Celestial AI, an optical interconnect startup for AI data centers, for \$3.25 billion in February 2026. This acquisition granted Marvell access to Celestial AI's innovative photonic fabric technology, enabling a closer alignment of Marvell's product stack with the evolving AI ecosystem spearheaded by NVIDIA. Buoyed by this strategic move and robust AI-related product bookings, Marvell has raised its revenue outlook, solidifying its status as a leading player in the AI semiconductor sector, second only to NVIDIA.

Technical Details

Celestial AI's photonic fabric technology accelerates memory transfer between AI accelerators using light. As traditional electrical interconnects become bottlenecks for demanding AI workloads, this technology addresses critical challenges in bandwidth, latency, and power consumption, particularly for the vast data movement within GPU clusters. Light-based interconnects promise a dramatic increase in communication speeds, from gigabits per second to terabits per second, while minimizing signal attenuation and substantially improving energy efficiency. Marvell is leveraging this technology to develop next-generation optical solutions, such as 3.2T optical transceivers, to achieve high-performance, low-power interconnections in AI data centers. This acquisition demonstrates Marvell's strategy to establish a new pillar of optical technology alongside its traditional strengths in custom silicon, interconnects, and Ethernet switches, aiming for holistic performance optimization of AI infrastructure.

Background & Context

The increasing complexity of AI models and the exponential growth of data are pushing data center power consumption and inter-chip communication bandwidth to their limits. NVIDIA's GPU-centric AI ecosystem, while high-performing, exacerbates these challenges. Optical interconnects are widely recognized as the most promising solution to break through these 'power wall' and 'communication wall' barriers. Marvell's acquisition of Celestial AI underscores the critical importance of optical technology in the AI era's data center infrastructure, prompting an acceleration of optoelectronic integration across the entire semiconductor industry. This acquisition positions Marvell to play a crucial role in the AI hardware supply chain.


Strategic Significance & Outlook

Marvell's acquisition of Celestial AI propels the company to the forefront of the AI semiconductor market, allowing it to compete with NVIDIA while offering a broader range of AI infrastructure solutions. Major cloud providers like Amazon are expected to become key customers for Marvell's photonic fabric products, with long-term purchase agreements already in place through the end of 2030. This signifies strong market validation for Marvell's technology. Moving forward, Marvell is anticipated to deeply integrate photonic fabric technology into its custom silicon products and switching solutions, delivering a comprehensive optical interconnect platform optimized for AI workloads, thereby shaping the future of data centers.

Source: <https://247wallst.com/investing/2026/07/08/this-200-billion-semiconductor-giant-could-be-the-next-nvidia/>

#16 AIP Paper: Optical Quantum Computing Emerges as Key Platform Due to Room-Temperature Operation, Low Noise, and Scalability

Published July 07, 2026 AIP Publishing USA



OVERVIEW

A review paper in AIP Publishing's Applied Physics Reviews highlights optical quantum computing as a leading approach among physical platforms. Photons offer unique advantages including room-temperature operation, extremely low-noise environments, and inherent scalability. The paper identifies photon generation, manipulation, and detection as the three key functional blocks of photonic quantum computers, arguing that optical technology presents a promising path for building large-scale quantum systems.

Key Findings

A comprehensive review paper published in Applied Physics Reviews by AIP Publishing asserts that optical quantum computing stands as one of the most promising and leading approaches among the various physical platforms for quantum computation. The paper meticulously details the unique advantages photons (light particles) possess, including stable operation at room temperature, resilience to extremely low-noise environments, and inherent scalability.

Technical Details

Optical quantum computing leverages photons as qubits, encoding quantum information within their properties such as polarization, path, or temporal frequency. The paper identifies three primary functional blocks that constitute a photonic quantum computer. First, highly efficient and pure 'photon generation' sources are required, typically achieved using single-photon emitters or non-linear optical crystals. Second, 'photon manipulation' components are crucial for altering quantum states and executing logic gate operations, often involving integrated photonic chips with waveguides, beam splitters, phase shifters, and optical switches. Third, high-efficiency 'photon detection' is indispensable for reading out the results of quantum computations, usually implemented with advanced devices like superconducting nanowire single-photon detectors (SNSPDs). Because photons are chargeless, they are less susceptible to electromagnetic interference and are relatively robust against decoherence (the breakdown of quantum states). Furthermore, their ease of long-distance transmission via optical fibers or integrated waveguides makes them well-suited for building large-scale quantum networks.

Background & Context

Quantum computing is expected to solve certain types of problems intractable for current classical computers, promising innovations in fields like drug discovery, materials science, finance, and artificial intelligence. However, building practical quantum computers involves significant challenges: generating and maintaining stable qubits, error correction, and scalability. Other major physical platforms, such as superconducting qubits or ion traps, often require cryogenic environments or complex electromagnetic control systems, imposing limitations on scalability and operational costs. Optical quantum computing is increasingly establishing its technical superiority as a promising alternative to these challenges.

Strategic Significance & Outlook

This review paper suggests that optical quantum computing will play a crucial role in transitioning from laboratory-based proof-of-concept demonstrations to larger-scale, practical applications. Further advancements in photon source, manipulation, and detection technologies, coupled with the integration of error correction codes, represent the next steps toward realizing fault-tolerant photonic quantum computers. Through integration with technologies like silicon photonics, optical quantum computers can leverage existing semiconductor manufacturing infrastructure, becoming a powerful driving force for the widespread adoption and commercialization of future quantum technologies.

Source: <https://pubs.aip.org/aip/apr/article/13/3/031306/3397854/Optical-quantum-computing>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#17 Quantum Zeitgeist Forecasts Silicon Photonics Links to Achieve 6.4 Terabits by Early 2030s to Meet Growing AI Bandwidth Demand

Published July 09, 2026 Quantum Zeitgeist USA



OVERVIEW

Quantum Zeitgeist predicts that silicon photonics links will rapidly scale up, reaching 6.4 terabits per second (Tbps) by the early 2030s, driven by the increasing bandwidth demands of AI and high-performance computing. The roadmap includes 1.6 Tbps transceivers commercializing in 2026, 3.2 Tbps around 2027, and 6.4 Tbps links emerging in the early 2030s. This advancement promises to significantly boost data center performance and energy efficiency, supporting the further evolution of AI technology.

Key Findings

Quantum Zeitgeist forecasts a rapid technological evolution and scaling of silicon photonics links to meet the explosive bandwidth demands from Artificial Intelligence (AI) and High-Performance Computing (HPC) workloads. This advancement is expected to culminate in optical links achieving an astonishing data transfer rate of 6.4 terabits per second (Tbps) by the early 2030s.

Technical Details

This projection is underpinned by the accelerating maturity and integration of silicon photonics technology. Silicon photonics is considered critical for next-generation interconnects in data centers and AI infrastructure, offering significantly higher bandwidth, lower power consumption, and reduced latency compared to traditional electrical signal transmission. The specific roadmap anticipates the commercialization of 1.6 Tbps optical transceivers in 2026, representing a doubling from current 800 Gbps links. This is crucial for alleviating bottlenecks in inter-GPU communication and switching within data centers. Furthermore, 3.2 Tbps links are expected around 2027, followed by the standardization of 6.4 Tbps links in the early 2030s. These technological leaps are driven by enhanced integration density of components such as optical modulators, photodetectors, and laser diodes, coupled with advanced packaging techniques like Co-Packaged Optics (CPO) and Near-Packaged Optics (NPO). CPO, in particular, places optical transceivers in close proximity to the processor, minimizing electrical trace lengths, signal loss, and power consumption.

Background & Context

The scale and complexity of AI models have grown exponentially over recent years, leading to a massive increase in data movement between AI accelerators. Traditional copper-based electrical interconnects are increasingly struggling to efficiently transmit this colossal data volume with low power consumption, hitting bandwidth and power 'walls.' Silicon photonics, leveraging the high bandwidth and low loss characteristics of optical signals and the ability to integrate optical circuits onto chips using existing semiconductor manufacturing processes, is the most promising technology to solve this challenge. Data center operators are actively seeking more energy-efficient solutions for sustainability and operational cost reduction, and silicon photonics directly addresses these needs.

Strategic Significance & Outlook

The realization of 6.4 Tbps silicon photonics links will further unleash the potential of AI, enabling the training of even larger and more complex AI models and real-time inference. This is expected to accelerate breakthroughs in various fields, including autonomous driving, drug discovery, and climate modeling. Moreover, this technological evolution will significantly impact a wide ecosystem, including optical communication component manufacturers, semiconductor foundries, and data center infrastructure providers, fostering new investment and innovation. Industry-wide standardization and the establishment of a robust ecosystem for high-speed optical interconnects will be key to future widespread adoption.

Source: <https://quantumzeitgeist.com/silicon-photonics-links-64t-expected/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#18 Hamamatsu Photonics Drives Fairchild Imaging CMOS Sensors in Europe, Bolstering X-ray, Medical, Scientific, and Space Applications After 2024 Acquisition

Published July 10, 2026 Hamamatsu Photonics Japan



OVERVIEW

Hamamatsu Photonics Europe announced it is actively promoting Fairchild Imaging's advanced CMOS image sensor technology to European customers, following its acquisition in 2024. This initiative strengthens its solutions across a wide range of applications demanding high-sensitivity CMOS image sensors, including X-ray, medical, scientific research, and space-related imaging. The strategy aims to expand Hamamatsu Photonics Group's overall image sensor business and provide a more comprehensive product portfolio to its global customer base.

Key Findings

Hamamatsu Photonics Europe has announced its proactive strategy to promote Fairchild Imaging's advanced CMOS image sensor technology to its European clientele, building on the 2024 acquisition. This move is designed to significantly enhance Hamamatsu Photonics' capability to deliver solutions across diverse sectors where high-sensitivity CMOS image sensors are indispensable, such as X-ray imaging, medical diagnostics, scientific research, and space-related applications.

Technical Details

Fairchild Imaging's CMOS image sensors are renowned for their exceptional sensitivity, high-speed readout capabilities, and low-noise characteristics. These sensors demonstrate superior performance in applications requiring precise capture of faint light signals or high-speed phenomena. For instance, in X-ray imaging, they enable the generation of high-definition images with reduced radiation dosage, contributing to lower patient burden and improved diagnostic accuracy in medical settings. In scientific research, their high frame rates and wide dynamic range support real-time analysis of molecular dynamics and cellular behavior. For space applications, where radiation hardness, durability, and extreme sensitivity to capture faint light in cosmic environments are paramount, Fairchild Imaging's technology meets these rigorous demands. Hamamatsu Photonics aims to combine these advanced CMOS technologies with its extensive expertise in optical sensors to provide optimal imaging solutions tailored to specific customer needs.

Background & Context

The image sensor market is expanding rapidly across a wide array of fields, including medical, scientific, industrial, and security sectors. The demand for enhanced performance, particularly in terms of high resolution, speed, and sensitivity, is growing year by year, with CMOS technology at the forefront of this evolution. Hamamatsu Photonics' acquisition of Fairchild Imaging represents a strategic move to strengthen its competitive position in the global image sensor market and expand its presence, especially in the North American and European markets. This acquisition has allowed Hamamatsu Photonics to diversify its product portfolio and offer more advanced solutions to a broader customer base.

Strategic Significance & Outlook


The full-scale introduction of Fairchild Imaging's CMOS sensor technology into the European market is expected to significantly contribute to Hamamatsu Photonics' business expansion. Particularly, the integration with AI-powered image analysis could lead to even more sophisticated automated inspection, diagnostic, and surveillance systems. The demand for high-sensitivity CMOS image sensors is anticipated to continue rising with the emergence of new technological innovations and applications. Hamamatsu Photonics is poised to capitalize on these market opportunities, focusing on strengthening customer relationships through product customization and enhanced system integration to establish market leadership.

Source: <https://www.hamamatsu.com/eu/en/news/press-releases/2026/advanced-imaging-with-fairchild-cmos-sensors.html>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#19 3D InCites: Silicon Photonics Packaging Accounts for Half Product Value, Highlighting Challenges in Optical Guiding and Thermal Management

Published July 06, 2026 3D InCites USA



OVERVIEW

3D InCites analysis reveals that up to half of a silicon photonics product's value stems from advanced packaging technology. Packaging must simultaneously fulfill four critical roles: efficient optical guiding, maintaining high-speed electrical signal integrity, effective thermal management, and precise alignment of disparate materials. This complexity necessitates a fundamental rethinking of manufacturing processes and supply chains, posing a key challenge for silicon photonics adoption.

Key Findings

According to a recent analysis by 3D InCites, nearly half of the total value of a silicon photonics product is determined by its advanced packaging technology. This finding underscores the multifaceted complexity and critical importance of packaging, which must simultaneously manage optical guiding, maintain the integrity of high-speed electrical signals, ensure efficient thermal management, and achieve ultra-precise alignment of diverse materials.

Technical Details

Silicon photonics technology aims to achieve higher bandwidth, lower power consumption, and reduced latency by transmitting data using light (photons) instead of conventional electrical circuits. However, extracting the true performance of this technology critically depends on its physical packaging. Packaging must concurrently fulfill four primary functions:

- **Optical Guiding:** Efficient coupling and transmission of optical signals from on-chip waveguides to external optical fibers, requiring picometer-level precision.
- **High-Speed Electrical Signal Integrity:** Maintaining the integrity of high-frequency electrical signals between the driver/receiver chips that convert light and electricity, and the host processor.
- **Thermal Management:** Effectively dissipating heat generated by densely integrated optical and electronic components to maintain chip performance and reliability. Optical components are particularly sensitive to temperature fluctuations.
- **Precise Alignment of Disparate Materials:** Achieving ultra-precise, stable alignment of various materials composing optoelectronic systems—such as silicon, indium phosphide, glass, and polymers—while accounting for their differing properties and thermal expansion coefficients over time.

These complex, combined requirements introduce new challenges in manufacturing processes, necessitating advanced bonding techniques, precision alignment equipment, and a deep understanding of materials science.

Background & Context

The surging demand for AI and High-Performance Computing (HPC) has made inter-chip communication bandwidth and power efficiency critical challenges in data centers. While silicon photonics has emerged as a promising technology to address these issues, packaging complexity has been one of the primary hurdles to its widespread adoption. Traditional semiconductor packaging has evolved to specialize in electrical connections, but optoelectronic integrated devices demand fundamentally different requirements. Consequently, the semiconductor industry is being compelled to rethink manufacturing processes and reconstruct supply chains for photonic devices.

Strategic Significance & Outlook


The evolution of packaging technology is key to the broader adoption and performance enhancement of silicon photonics. Going forward, innovative approaches such as hybrid integration, Co-Packaged Optics (CPO), and wafer-level packaging will become increasingly important. Investment and R&D in this area are essential for improving the efficiency and scalability of data centers in the AI era. As cooperation and standardization advance across the supply chain, silicon photonics will become available for a wider range of applications, potentially serving as the next growth driver for the semiconductor industry.

Source: <https://www.3dincites.com/2026/07/finetech-siliconphotonics/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#20 openPR.com Predicts Photonic IC Market to Surge to \$107.66 Billion by 2035, Driven by AI Data Centers and High-Speed Communication Demand

Published July 09, 2026 openPR.com USA



OVERVIEW

This article provides an overview of a market research report released via openPR.com, forecasting the Photonic Integrated Circuit (IC) market to grow substantially from \$17.32 billion in 2025 to \$107.66 billion by 2035. This dramatic growth is primarily driven by the expansion of hyperscale data centers, the increasing deployment of AI accelerators, and sustained demand for high-speed optical interconnects.

Key Findings

This article provides an overview of a market research report disseminated through openPR.com, which forecasts a significant surge in the global Photonic Integrated Circuit (IC) market. The report projects that the market will expand from \$17.32 billion in 2025 to a substantial \$107.66 billion by 2035, driven primarily by the escalating demand from AI data centers and high-speed communication infrastructure.

Technical / Clinical Details

The report attributes this remarkable growth over the next decade to several key factors. Firstly, the continuous expansion of hyperscale data centers, spurred by the increasing demand for cloud computing and AI services, necessitates high-speed and efficient data transfer both within and between servers. Secondly, the widespread adoption of AI accelerators is a major catalyst. Training and inference of large-scale AI models require massive parallel processing and rapid memory access, a challenge that traditional electrical interconnects are increasingly struggling to meet. Photonic ICs are poised to be the key solution to this bandwidth bottleneck. Lastly, the demand for high-speed optical interconnects—including 400G, 800G, and future 1.6T links—is becoming indispensable for enhancing data center performance, with photonic ICs forming the core technology. This market growth is also expected to contribute significantly to improving data center power efficiency and reducing operational costs.

Background & Context

The exponential growth of AI and cloud computing has placed unprecedented demands on data center infrastructure. Traditional electrical communication technologies are reaching their physical limits in terms of bandwidth, power consumption, and latency. Photonic ICs, which use light instead of electrons to transmit data, offer a revolutionary alternative that can overcome these limitations. By integrating optical components directly onto silicon chips, photonic ICs enable faster, more energy-efficient data movement, which is critical for supporting the next generation of AI and high-performance computing workloads. This technological shift is fundamental to scaling digital infrastructure sustainably and efficiently.

Strategic Significance & Outlook

The projected nine-fold growth of the photonic IC market by 2035 highlights a critical strategic shift for the semiconductor and data center industries. Companies investing in photonic IC research, development, and manufacturing are positioning themselves at the forefront of the AI era. This market expansion will create significant opportunities for component suppliers, equipment manufacturers, and data center operators. The ability to deliver highly efficient and scalable optical interconnects will be a key differentiator in a competitive landscape increasingly defined by AI demands. Furthermore, this growth underscores a broader industry trend towards optoelectronic integration, which will be essential for managing the growing complexity and energy footprint of future digital ecosystems.

Source: <https://www.openpr.com/news/4572589/photonic-ic-market-surges-as-ai-data-centers-and-high-speed>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#21 Seeking Alpha: Marvell's \$3.25B Celestial AI Acquisition and 3.2T Optical Transceiver Development Bolsters AI Market Competitiveness

Published July 07, 2026 Seeking Alpha USA



OVERVIEW

According to Seeking Alpha, Marvell Technology acquired Celestial AI for \$3.25 billion in February 2026, gaining its advanced Photonic Fabric technology. This acquisition aims to enhance memory transfer efficiency via optical interconnects for AI model training and inference. Marvell is accelerating the development of 3.2 terabit (T) optical transceivers, strengthening its competitive edge in AI networking solutions. Marvell is solidifying its position as a leading optical technology provider in next-generation AI infrastructure.

Key Findings

A recent analysis from Seeking Alpha reports that Marvell Technology acquired Celestial AI for a substantial \$3.25 billion in February 2026, securing its innovative Photonic Fabric technology. This strategic acquisition is designed to overcome data movement bottlenecks in AI model training and inference, dramatically improving memory transfer efficiency through optical interconnects. Building on this technological foundation, Marvell is actively pushing the development of 3.2 terabit (T) optical transceivers, thereby further strengthening its competitive advantage in networking solutions for the AI market.

Technical Details

Celestial AI's Photonic Fabric technology leverages optical signals instead of traditional electrical signals to achieve high-speed data transfer, particularly for memory data between chips. In the training and inference of complex AI models, such as large language models (LLMs), vast amounts of data must frequently move between GPUs and accelerators. This data movement has been a bottleneck, limiting overall system performance and power efficiency. Photonic Fabric utilizes the speed and low-loss characteristics of light, enabling terabit-per-second bandwidth with significantly reduced power consumption. This shortens the execution time for AI workloads and lowers data center operational costs. Marvell is integrating this Photonic Fabric technology into its existing network connectivity product lineup, specifically developing next-generation 3.2T optical transceivers. These will be crucial components for standardizing optical connectivity within data center server racks and at the chip level, maximizing AI infrastructure performance.

Background & Context

The rapid evolution of AI necessitates fundamental changes in data center architecture. Traditional electrical interconnects are struggling to meet the demands for high bandwidth and low power consumption, hitting 'power walls' and 'communication walls.' Optical interconnects are recognized as the most promising technology to overcome these challenges, with the industry accelerating its transition to Co-Packaged Optics (CPO) and Near-Packaged Optics (NPO). Marvell's acquisition of Celestial AI clearly demonstrates the strategic importance of optical technology in the AI era's data center infrastructure. This move occurs amidst increasing investment in optical technology by major semiconductor companies like NVIDIA, Broadcom, and Intel, highlighting the intensifying competition in the AI hardware market.

Strategic Significance & Outlook

Marvell's acquisition of Celestial AI solidifies its position as a leading provider of AI network connectivity solutions. The development and deployment of 3.2T optical transceivers will significantly enhance data center performance and energy efficiency, enabling even larger and more complex AI workloads. Notably, major cloud providers like Amazon are reportedly planning to adopt Marvell's photonic fabric products, with long-term purchase agreements already in place through the end of 2030, underscoring the technology's market credibility and future potential. Marvell is expected to deeply integrate Photonic Fabric into its custom silicon solutions and switching portfolio, providing end-to-end optical connectivity solutions across AI infrastructure, thereby pursuing market leadership.

Source: <https://seekingalpha.com/article/4920244-marvell-vs-credo-the-better-network-connectivity-stock>

#22 China Accelerates Chip Race with New Photonics Advancements, Opens 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' in Collaboration with Lightelligence

Published July 03, 2026 All About Industries China



OVERVIEW

China is accelerating its chip race through new advancements in photonics, marked by the early June 2026 launch of the 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' in Shanghai. Operated jointly by Shanghai Jiao Tong University and photonic computing startup Lightelligence, this laboratory will drive R&D in optical computing technology. This initiative underscores China's strategic focus on light-based next-generation computing to achieve semiconductor self-sufficiency and enhance international competitiveness.

Key Findings

China is intensifying its lead in the global chip race through groundbreaking advancements in photonics technology. As part of this national effort, the 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' officially commenced operations in Shanghai in early June 2026. This crucial facility, a joint venture between Shanghai Jiao Tong University and the cutting-edge photonic computing startup Lightelligence, aims to spearhead research and development in next-generation optical computing technology at a national level.

Technical Details

The 'Shanghai Integrated Photonic Computing Chip and System Key Laboratory' is dedicated to the research of high-performance computing chips and systems utilizing light. The primary objective of this research is to overcome the limitations of conventional electronic computing—such as power consumption, heat generation, and bandwidth bottlenecks—by employing photons. Lightelligence is developing chips for AI acceleration, high-speed data center interconnects, and even quantum computing, by leveraging physical phenomena like optical wavelength multiplexing, interference, and diffraction. The laboratory's focus areas include optical circuit design, hybrid optoelectronic integration, advanced packaging technologies, and the overall optimization of optical computing systems. The goal is to dramatically increase computational speed for AI model training and inference while significantly improving power efficiency. Research may span diverse material platforms, including silicon photonics, indium phosphide (InP)-based photonics, and polymer photonics.

Background & Context

The global semiconductor industry has entered an era where nations prioritize technological self-sufficiency due to geopolitical tensions and supply chain vulnerabilities. China, amid intensifying tech competition with the United States, is advancing the strengthening of its domestic capabilities in the semiconductor sector as a national strategy, with photonics being a core component. Faced with constraints in traditional silicon-based electronic chip manufacturing, optical computing is viewed as a vital approach for China to seize leadership in next-generation computing technologies. The collaboration between Shanghai Jiao Tong University and Lightelligence serves as a model for connecting academic research with industrial applications, accelerating innovation in the photonics field.

Strategic Significance & Outlook

The operational launch of this new key laboratory signals China's strong determination to achieve international leadership in optical computing technology development. The research outcomes hold the potential to form the foundation for high-performance AI accelerators, next-generation data centers, and future quantum computing infrastructure. International attention is now focused on what innovative chips and systems will emerge from this laboratory, with expectations of a significant impact on the dynamics of the global chip race. If China successfully establishes an independent technological ecosystem in this area, it could introduce new shifts in the global semiconductor supply chain.

Source: <https://www.all-about-industries.com/china-accelerates-the-chip-race-with-new-advancements-in-photonics-a-2571a459fff48f17fde4b6063bab3f21/>

#23 PsiQuantum Pursues Million-Qubit Fault-Tolerant Quantum Computer on Silicon Photonics, Collaborating with GlobalFoundries

Published July 08, 2026 Physics Today Jobs USA



OVERVIEW

PsiQuantum is advancing its ambitious goal of building a 1 million-qubit fault-tolerant quantum computer based on silicon photonics. To achieve this, the company leverages existing semiconductor manufacturing infrastructure by partnering closely with established foundries like GlobalFoundries. This critical strategy aims to mass-produce large-scale quantum computing systems and overcome scalability challenges, potentially opening a more practical pathway than other cryogenic-dependent quantum technologies.

Key Findings

Quantum computing firm PsiQuantum is driving an ambitious vision to realize an ultimate 1 million-qubit fault-tolerant quantum computer, founded on silicon photonics technology. To achieve this objective, the company is closely collaborating with major semiconductor manufacturing partners, including GlobalFoundries, employing a strategy that maximizes the utilization of existing semiconductor fabrication ecosystems.

Technical Details

PsiQuantum's approach is deeply rooted in photonic quantum computing, where photons serve as qubits. Silicon photonics is compatible with standard CMOS manufacturing processes and allows for the high-density integration of optical components—such as waveguides, beam splitters, photon sources, and detectors—on a single chip. This capability holds the potential to dramatically enhance the scalability and manufacturability of quantum computers. PsiQuantum is developing integrated circuits that generate, manipulate, and detect millions of photons, aiming to combine these to construct a 1 million-qubit system capable of error correction. Fault-tolerant quantum computing is an essential element for reliably executing large and complex quantum algorithms, as it incorporates mechanisms to detect and correct physical errors in qubits. The partnership with GlobalFoundries provides a crucial pathway for PsiQuantum to manufacture these technically intricate photonic chips at high quality and scale.

Background & Context

Quantum computing holds the promise of delivering transformative advancements across diverse fields, including drug discovery, materials science, optimization problems, and artificial intelligence. However, building practical quantum computers faces significant hurdles in qubit stability, scalability, and error correction. Technologies like superconducting qubits often require cryogenic environments, making their operation highly complex and costly. Photonic quantum computing emerges as a promising solution to these challenges, benefiting from photons' ability to operate at room temperature and their inherent robustness against environmental noise. PsiQuantum's strategy leverages these advantages of photonics, combined with existing semiconductor manufacturing techniques, to deploy practical quantum computers more rapidly and at scale.

Strategic Significance & Outlook

The realization of PsiQuantum's 1 million-qubit fault-tolerant quantum computer will represent a decisive step towards the commercialization of quantum computing.

Securing manufacturing scale through collaboration with GlobalFoundries enhances the practicality of achieving this monumental goal. If successful, this technology is expected to provide novel capabilities to solve problems currently intractable for classical supercomputers, driving groundbreaking progress across sectors ranging from AI and healthcare to scientific research. While further refinement of error correction techniques and overcoming challenges in overall system integration remain key, PsiQuantum's approach holds significant potential to substantially advance the future of large-scale, practical quantum computing.

Source: <https://jobs.physicstoday.org/job/41973929/senior-manager-material-metrology/>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#24 GoPhotonics Announces Hamamatsu Photonics' S14739-20 SWIR CMOS Image Sensor to Enhance Semiconductor Inspection and Industrial Process Monitoring

Published July 09, 2026 GoPhotonics Germany



OVERVIEW

GoPhotonics announced Hamamatsu Photonics' S14739-20 Short-Wave Infrared (SWIR) CMOS image sensor. Combining advanced CMOS readout technology with InGaAs photodiodes, this sensor delivers high-speed image acquisition, low noise, and superior infrared performance. It is poised to bring unprecedented precision and efficiency to industrial applications such as semiconductor inspection, industrial process monitoring, and spectroscopic analysis, enhancing performance across a wide range of uses.

Key Findings

GoPhotonics has announced the launch of Hamamatsu Photonics' innovative S14739-20 Short-Wave Infrared (SWIR) CMOS image sensor. This sensor uniquely combines advanced CMOS readout technology with a high-sensitivity InGaAs photodiode array to achieve high-speed image acquisition, excellent low-noise characteristics, and superior infrared performance across a wide dynamic range. This development promises to significantly boost the performance of diverse industrial applications demanding high-precision SWIR imaging, including semiconductor inspection, industrial process monitoring, and spectroscopic analysis.

Technical Details

Hamamatsu Photonics' S14739-20 sensor offers high quantum efficiency and uniformity in the SWIR range (900nm to 1700nm). The adoption of CMOS readout circuitry enables significantly higher frame rates and flexible random access readout modes compared to conventional linear array sensors. This high speed facilitates real-time inspection in manufacturing lines and the capture of fast-moving objects. Furthermore, the low-noise design ensures a high signal-to-noise ratio (SNR) even with faint SWIR light signals, expanding the detection limit and providing more reliable data. InGaAs photodiodes directly convert SWIR light into electrical signals, allowing for room-temperature operation without the need for cooling, which contributes to system miniaturization and lower power consumption. The sensor is also ideally suited for spectroscopic imaging in specific wavelength bands, enhancing its ability to non-destructively analyze material composition and properties.

Background & Context

Short-Wave Infrared (SWIR) imaging is gaining increasing importance across industrial, medical, and scientific fields due to its ability to acquire information invisible to the human eye. For instance, in the semiconductor industry, SWIR imaging is crucial for inspecting internal structures and defects by penetrating silicon wafers. In food inspection, it's used for foreign object detection and quality assessment, and in agriculture for monitoring crop health. Traditional SWIR sensors have often been expensive, bulky, or limited in performance. Hamamatsu Photonics' S14739-20 sensor, through its fusion with CMOS technology, offers a more accessible and high-performance SWIR imaging solution. This is expected to promote productivity improvements, stricter quality control, and the development of new applications.

Strategic Significance & Outlook

The introduction of the Hamamatsu Photonics S14739-20 SWIR CMOS image sensor is set to accelerate the widespread adoption of SWIR imaging technology. Particularly, its combination with AI-powered image recognition and analysis systems could unlock unprecedented levels of performance and efficiency in automated inspection, quality control, security surveillance, and new medical diagnostic devices. This sensor offers an excellent balance of cost-effectiveness and performance, making it suitable for future applications in broader markets like automotive LiDAR and consumer electronics. Hamamatsu Photonics is expected to continue expanding the frontiers of SWIR technology through this innovative product.

Source: <https://www.gophotonics.com/news/details/9033-gophotonics-presents-latest-cmos-image-sensors-for-industrial-and-scientific-imaging-applications>

#25 Marvell Issues Amazon Warrants Tied to Photonic Fabric Product Purchases by 2030 After Celestial AI Acquisition

Published July 05, 2026 Stocktwits USA



OVERVIEW

Marvell Technology issued warrants to Amazon as part of its February 2026 acquisition of Celestial AI. These warrants grant Amazon the right to acquire Marvell shares, contingent on Amazon purchasing a specified volume of Marvell's photonic fabric products by the end of 2030. This agreement is crucial for Marvell to secure long-term customer commitment and strengthen strategic alliances with major cloud providers amid the rapidly expanding demand for optical interconnects in AI data centers.

Key Findings

It has come to light that Marvell Technology issued warrants to Amazon, a leading cloud provider, as part of its acquisition of Celestial AI in February 2026. This warrant agreement grants Amazon the right to purchase Marvell shares, contingent on Amazon committing to purchase a specified value or volume of Marvell's photonic fabric products through the end of 2030. This arrangement underscores the strategic importance of optical interconnect technology within AI data centers.

Technical Details

The photonic fabric technology Marvell acquired from Celestial AI uses optical signals for data transfer between AI accelerators and memory modules, achieving significantly higher bandwidth, lower latency, and improved power efficiency compared to traditional electrical connections. Amazon, operating one of the world's largest cloud infrastructures via AWS (Amazon Web Services), has a strong demand for high-performance, energy-efficient interconnect solutions to handle massive AI workloads. This warrant agreement suggests that Amazon plans to integrate Marvell's photonic fabric products into its core AI infrastructure, indicating that Marvell's technology is deemed critical for cloud-scale AI deployments. This long-term commitment provides Marvell with a stable demand base, accelerating the development and mass production of its optical interconnect technology.

Background & Context

The increasing complexity of AI models and the exponential growth of data are exacerbating power consumption and communication bandwidth bottlenecks in data centers. Hyperscale cloud providers are making substantial investments in optical interconnect technology to overcome these challenges. Marvell's acquisition of Celestial AI was a strategic move to secure leadership in optical technology within the AI infrastructure market. Long-term agreements with key customers like Amazon demonstrate the maturity of the technology and market confidence in the nascent optical interconnect market, serving as a critical factor in accelerating the adoption of technologies such as Co-Packaged Optics (CPO) and Near-Packaged Optics (NPO).

Strategic Significance & Outlook


This agreement, involving Marvell issuing warrants to Amazon, is expected to strongly bolster the future growth trajectory of the optical interconnect market in AI data centers. Amazon's commitment provides a solid foundation for Marvell to further refine its photonic fabric technology and deploy it at scale. This positions Marvell to play a pivotal role in the AI hardware supply chain and potentially encourages other cloud providers and enterprises to adopt optical interconnect technology. The long-term perspective extending to 2030 clearly indicates the industry's direction: AI and optical communication technologies will evolve in tandem to shape the future of data centers.

Source: <https://stocktwits.com/news-articles/markets/equity/nee-stock-gains-attention-ceo-flags-accelerating-us-electricity-demand/cZBWz4OReTH>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#26 openPR.com Predicts AI Data Center Optical Interconnect Market to Reach \$41.09 Billion by 2035, Driven by Intel's Demonstrated Co-packaged Optics

Published July 08, 2026 openPR.com USA



OVERVIEW

This article provides an overview of a market research report published via openPR.com, forecasting the optical interconnect market in AI data centers to reach \$41.09 billion by 2035. Growth is driven by increasing demand for 400G, 800G, and 1.6T optical links, coupled with expanding distributed AI training and real-time inference traffic. Notably, Intel's demonstration of CPU-co-packaged optical computing interconnect chiplets is accelerating technological innovation in the market.

Key Findings

This article provides an overview of a market research report released through openPR.com, which presents the current status and future projections for the optical interconnect market within AI data centers. The report highlights the explosive growth of Artificial Intelligence (AI) workloads as a powerful driver for this market, offering detailed market size figures and growth forecasts through 2035.

Technical / Clinical Details

According to the report, the optical interconnect market for AI data centers is projected to reach a colossal \$41.09 billion by 2035. This significant market expansion is primarily propelled by the following factors:

- **Increased Demand for High-Speed Optical Links:** The demand for ultra-high-speed optical links, including 400G, 800G, and future 1.6T, is dramatically increasing within data centers. These are essential for resolving bandwidth bottlenecks in data transfer between AI accelerators and servers.
- **Expansion of Distributed AI Training and Real-time Inference Traffic:** Large-scale AI models require distributed training across multiple GPUs and servers, and real-time inference also necessitates massive data transfers. Optical interconnects provide an optimal solution to meet these requirements.
- **Intel's Technological Innovation:** Intel's demonstration of optical computing interconnect chiplets co-packaged with CPUs represents a crucial step toward realizing Co-Packaged Optics (CPO), where optical technology is integrated directly with processors. This enables significant power consumption reductions while enhancing inter-chip communication performance.

These factors are expected to establish optical interconnects as a foundational technology for AI data center infrastructure, ensuring sustained growth.

Background & Context

The relentless demand from AI and high-performance computing has pushed traditional electrical interconnects in data centers to their limits. Conventional copper cabling struggles with high bandwidth requirements, energy consumption, and signal integrity over distance. Optical interconnects offer a transformative solution by using light to transmit data, providing superior performance characteristics vital for modern AI workloads. The strategic investments and technological demonstrations by industry giants like Intel signal a definitive shift towards integrating optics closer to processing units, a trend that is fundamental to the scalability and efficiency of future AI infrastructure.


Strategic Significance & Outlook

The projected growth of the AI data center optical interconnect market underscores its critical role in the evolution of AI. This expansion will create substantial opportunities for manufacturers of optical components, transceivers, and packaging solutions. The adoption of CPO, driven by pioneering efforts from companies like Intel, is expected to accelerate, leading to a profound re-architecture of data centers. This transition promises not only to unlock new levels of AI performance but also to significantly reduce the energy footprint of computational facilities, contributing to more sustainable and cost-effective operations globally. The market's trajectory indicates a future where optical interconnects are indispensable for scaling AI capabilities.

Source: <https://www.openpr.com/news/4571560/optical-interconnect-in-ai-data-centers-market-size-to-reach-usd>

#27 Optica Paper Demonstrates Hybrid Path-Transverse Electric Mode Qudit Encoding on Integrated Photonic Chip, Advancing Quantum Scalability

Published Date unknown Optica Publishing Group USA



OVERVIEW

A paper in Optica Publishing Group demonstrates successful hybrid path-transverse electric mode qudit encoding on an integrated photonic chip. This technology is critical for scaling quantum system physical platforms, leveraging the benefits of integrated photonics for device fabrication using existing CMOS foundry processes. This advancement paves the way for efficiently increasing qubit counts and implementing more complex quantum algorithms.

Key Findings

A groundbreaking paper published by Optica Publishing Group successfully demonstrated hybrid path-transverse electric mode qudit encoding on an integrated photonic chip. This achievement marks a significant step towards making quantum technology more scalable and underscores the inherent advantages of integrated photonics, which allows for the fabrication of quantum devices using existing CMOS foundry processes.

Technical Details

While traditional quantum computing primarily utilizes two-level qubits, qudits leverage three or more quantum levels to encode more information into a single quantum unit. The hybrid path-transverse electric mode qudit encoding demonstrated in this research represents multi-level quantum information by combining different physical degrees of freedom of a photon (its path and transverse electric mode). This approach is built on an integrated photonic chip, utilizing standard CMOS-compatible processes, such as the silicon-on-insulator (SOI) platform. Integrated photonics enables the high-density integration of optical components like waveguides, beam splitters, and phase shifters on a millimeter-scale chip, achieving system miniaturization, enhanced stability, and mass producibility. The success of this encoding method indicates that qudit states can be generated and manipulated with high fidelity using individual photons. This promises to deliver higher computational power with the same physical resources, offering a promising solution to quantum computer scalability challenges.

Background & Context

One of the biggest challenges towards the practical realization of quantum computing is the stable generation, manipulation, and interconnection of a large number of qubits. Specifically, 'scaling' the number of qubits remains a significant technological bottleneck. Integrated photonics, as a platform that uses photons as qubits, offers substantial advantages: operation in low-noise environments, potential for room-temperature operation, and compatibility with existing semiconductor manufacturing technologies. For these reasons, it is considered a leading candidate for building large-scale quantum processors. Qudit encoding, by increasing the amount of information per quantum unit, can potentially utilize quantum hardware resources more efficiently and reduce the number of physical qubits required for implementing complex quantum algorithms.

Strategic Significance & Outlook


The success of this hybrid qudit encoding holds significant implications for the advancement of integrated photonics-based quantum computing. Further increases in the number of qudits and refinement of interaction control technologies are expected to contribute to the realization of more powerful and versatile quantum processors. This technology has the potential to deliver high-performance enhancements in quantum communication, quantum sensing, and quantum machine learning that are unattainable with existing systems. Its manufacturability using CMOS-compatible processes provides a realistic pathway toward eventual commercialization and widespread adoption.

Source: <https://opg.optica.org/opticaq/abstract.cfm?uri=opticaq-4-4-321>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#28 arXiv Paper: Measurement-Based Quantum Computing (MBQC) Demonstrated on 4-Qubit Silicon Photonic Chip, Achieving High Fidelity

Published July 08, 2026 arXiv USA



OVERVIEW

An arXiv paper reports a successful demonstration of Measurement-Based Quantum Computing (MBQC) on a photonic integrated chip. The study utilized a silicon photonic chip capable of generating up to 4-qubit photonic graph states, achieving high fidelity for linear cluster and star graph states. This marks a significant advance toward practical photon-based quantum computing and suggests the potential for scalable quantum processor construction.

Key Findings

According to a recent research paper published on arXiv, a successful demonstration of Measurement-Based Quantum Computing (MBQC) has been achieved on a photonic integrated chip. This study utilized a silicon photonic chip capable of efficiently generating photonic graph states with up to four qubits, achieving exceptionally high fidelity for both linear cluster states and star graph states.

Technical Details

Measurement-Based Quantum Computing (MBQC), unlike classical computation models, operates by first preparing a highly entangled multi-qubit state called a 'graph state' or 'cluster state.' Subsequent computation is then performed solely through local measurements and classical feedforward control. The silicon photonic chip used in this research was fabricated using standard CMOS manufacturing processes, integrating optical components such as waveguides, beam splitters, and phase shifters at high density. The chip is capable of generating graph states of up to four qubits by coupling photons, produced from four independent photon sources, through a programmable interferometer array. Experiments involved generating linear cluster states and star graph states and evaluating their fidelity. The results showed high fidelities, exceeding approximately 90% for these graph states, which represents excellent performance in a quantum system prone to noise. This high fidelity is a crucial indicator for the realization of fault-tolerant quantum computing.

Background & Context

Quantum computing promises revolutionary advancements across various fields, including drug discovery, materials science, financial modeling, and artificial intelligence. However, qubit stability, scalability, and error correction remain key challenges. Photonic quantum computing is gaining attention as a promising approach to these challenges, benefiting from photons' robustness against environmental noise and their potential for room-temperature operation. MBQC is considered particularly suitable for scalability on photonic platforms because it transforms quantum computation into a sequence of measurements, minimizing physical interactions. Compatibility with existing silicon manufacturing techniques holds the potential to significantly reduce the manufacturing cost and complexity of large-scale quantum processors.

Strategic Significance & Outlook


The successful demonstration of MBQC on this 4-qubit silicon photonic chip represents a significant milestone towards the practical realization of photonic quantum computing. Future research will focus on further increasing the number of qubits, generating more complex graph states, integrating error correction techniques, and improving the programmability of MBQC processors. Advancements in this technology are expected to accelerate the realization of larger, more versatile fault-tolerant quantum computers, potentially enabling groundbreaking applications in quantum AI and precision metrology.

Source: <https://arxiv.org/html/2607.07890v1>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#29 TechRadar: Next-Gen AI Networks Adapt to Inference Curve with 1.6 Tb/s/Wavelength Coherent Optical Platforms

Published July 08, 2026 TechRadar UK



OVERVIEW

A TechRadar article highlights the necessity for future AI networks to fundamentally adapt to the rapid evolution of AI inference workloads. Data center connectivity is being re-architected with high-bandwidth coherent optical platforms and systems supporting 1.6 Tb/s/wavelength. This adaptation is crucial for resolving data center bottlenecks, improving power efficiency, and enabling continuous AI model scaling, signaling an era where next-generation optical communication technologies dictate AI infrastructure performance.

Key Findings

An article published on TechRadar emphasizes the critical need for future AI networks to undergo fundamental adaptation to keep pace with the exponential growth of AI (Artificial Intelligence) inference workloads. Data center connectivity architectures are already being reconfigured through the adoption of high-bandwidth coherent optical platforms and systems capable of an astounding 1.6 terabits per second (Tb/s) per wavelength.

Technical Details

AI inference workloads, unlike the training phase, demand low-latency, high-volume data processing in real-time. Traditional data center networks are increasingly struggling to meet these requirements, with communication bandwidth becoming a bottleneck for AI performance improvement. High-bandwidth coherent optical platforms solve this challenge by efficiently multiplexing data across multiple wavelengths and maintaining high signal quality over long distances. Specifically, '1.6 Tb/s/wavelength' capable systems mean a single optical signal can carry 1.6 terabits of data per second, a significant performance leap compared to previous optical communication technologies. This is achieved through advanced modulation schemes (e.g., PAM4 and coherent modulation), digital signal processing (DSP), and integrated technologies like silicon photonics. This significantly boosts communication speeds between GPU clusters within data centers and the responsiveness to inference requests from edge devices, thereby enhancing the real-time capability and scalability of AI applications.

Background & Context

The proliferation of AI has led to an explosion in data center traffic, especially during the inference phase, where data must move rapidly between numerous accelerators. This situation creates two major challenges: increasing data center power consumption and the limitations of existing network infrastructure. Optical interconnects, particularly coherent optical technology, are seen as the most promising solution to these challenges. The industry is striving to standardize and implement faster and more energy-efficient optical transmission technologies to ensure the sustainability and performance of AI infrastructure.

Strategic Significance & Outlook

The introduction of 1.6 Tb/s/wavelength capable coherent optical platforms will dramatically transform AI network capabilities, expanding the possibilities for new AI applications such as autonomous driving, augmented/virtual reality (AR/VR), real-time language translation, and advanced medical diagnostics. It is expected that as these ultra-high-speed optical technologies become more compact and cost-effective, their widespread adoption across data centers will further accelerate AI evolution. This technological innovation represents a significant trend that will create new business opportunities and competitive advantages for optical communication component manufacturers, semiconductor manufacturers, cloud service providers, and AI developers alike.

Source: <https://www.techradar.com/pro/tomorrows-ai-networks-need-to-adapt-to-stay-ahead-of-the-inference-curve>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#30 arXiv Paper Proposes 'Fiber Memory' for Large Language Model Weights, Potentially Reducing AI Accelerator Energy Consumption by Over 70%

Published July 10, 2026 arXiv USA



OVERVIEW

An arXiv paper introduces 'fiber memory,' a novel architecture for storing invariant data like Large Language Model (LLM) weights. This innovative approach reconfigures optical fiber as an active recirculating delay line memory, potentially eliminating redundant weight storage across 10,000 AI accelerators and reducing weight delivery energy by over 70%. This breakthrough could dramatically improve AI data center power efficiency and contribute to the sustainability of large-scale AI systems.

Key Findings

A recent research paper published on arXiv proposes a groundbreaking new architecture called 'fiber memory' for storing invariant data, specifically the weights of Large Language Models (LLMs). This innovative approach reconfigures optical fiber as an active recirculating delay line memory, demonstrating the potential to eliminate redundant weight storage across 10,000 AI accelerators and reduce energy consumption associated with weight delivery by over 70%.

Technical Details

In the operation of large language models, model weights are typically replicated and stored in the local memory of each AI accelerator. However, since these weights are invariant once the model is trained, their replication consumes vast memory capacity and significant energy for distribution to each accelerator. The proposed 'fiber memory' utilizes optical fibers, which can span tens of kilometers, as 'recirculating delay line memories' where optical signals repeatedly circulate. Specifically, LLM weights are injected into the fiber as optical signals and read out as needed. This mechanism eliminates the need for physical weight replication, allowing for centralized weight management and distribution across the entire data center. As optical signals propagate through fiber at high speed with low loss, access speed to weight data is maintained while significantly reducing the energy cost of 'delivery.' Simulation results indicate a potential reduction of over 70% in weight delivery energy for a system with 10,000 AI accelerators. This represents a crucial improvement given that power consumption is a major driver of operational costs and environmental impact in current AI data centers.

Background & Context

The rapid advancement of AI, particularly LLMs, has led to an exponential increase in data center power consumption. The scale of LLMs is growing daily, with models featuring tens of billions to trillions of parameters becoming common. The infrastructure required to store and distribute the weights of these models to numerous accelerators is pushing the limits of existing memory and interconnect technologies. Traditional memories like DRAM and HBM waste resources through weight replication, and electrical signal data transfer consumes considerable energy. The 'power wall' is one of the biggest challenges threatening AI's sustainability and scalability, making innovative optical-based approaches like fiber memory highly sought after.

Strategic Significance & Outlook

The concept of fiber memory holds the potential to fundamentally transform AI data center architectures. A dramatic improvement in energy efficiency is indispensable for reducing the operational costs and environmental footprint of large-scale AI systems. Moving forward, prototyping and experimental validation of this technology are expected, with efforts to overcome challenges toward commercial-scale implementation. If fiber memory becomes practical, it could establish new standards for data transfer and memory management not only for LLMs but also for other large-scale AI models and high-performance computing applications, enabling further sustainable growth of AI technology. This suggests a future where optical communication technology is more deeply integrated as a core component of AI infrastructure.

Source: <https://arxiv.org/html/2607.08407v1>

#31 Digitalisation World: Quantum Computing to Impact Data Center Energy Consumption; Microsoft Majorana1, Amazon Ocelot Development Advances

Published July 08, 2026 Digitalisation World UK



OVERVIEW

A Digitalisation World article analyzes quantum computing's potential impact on data center energy consumption and future operations. It highlights quantum technology breakthroughs, including Microsoft's Majorana1 quantum chip and Amazon's Ocelot quantum processor. Quantum computing, with its potential for far greater efficiency in specific computations, could dramatically improve data center energy efficiency in the future. The UK's quantum computing ecosystem is noted for its crucial role in advancing the commercialization of this technology.

Key Findings

An article published in Digitalisation World delves into the potential impact of quantum computing advancements on data center energy consumption patterns and future operations. The article showcases key breakthroughs in quantum technology, such as Microsoft's ongoing development of the Majorana1 quantum chip and Amazon's reported progress with its Ocelot quantum processor. These developments suggest that quantum technologies hold the potential to be far more energy-efficient than existing classical computing methods for certain computational problems.

Technical Details

Microsoft's Majorana1 quantum chip adopts a topological quantum computing approach, constructing qubits using exotic quasi-particles called Majorana fermions. This approach offers high resilience against external noise and the potential for easier error correction, providing a promising pathway towards fault-tolerant quantum computing. While specific technical details about Amazon's Ocelot quantum processor are not fully disclosed, the company's provision of quantum computing services via AWS suggests an aim to optimize cloud-based quantum access. Quantum computing leverages phenomena like quantum parallelism and entanglement to efficiently solve problems that would take immense time or energy on classical computers (e.g., molecular simulations, optimization, cryptography). Theoretically, this could enable more computation to be performed with a fraction of the power consumed by traditional data centers. The article also emphasizes the UK's quantum computing ecosystem, where government, academia, and industry collaborate to accelerate the practical application and commercialization of this transformative technology.

Background & Context

Data centers currently account for a significant portion of global electricity consumption, driven by increasing demand for cloud computing, AI, and big data analytics. This energy usage presents two major challenges: rising operational costs and environmental concerns. Quantum computing is emerging as a long-term solution to these issues, with the potential to dramatically reduce the overall energy footprint of data centers by providing exponentially greater computational efficiency for specific tasks. The competitive race among major technology companies to develop quantum chips is driven by this future potential.

Strategic Significance & Outlook

As quantum computing technology matures and large-scale fault-tolerant quantum computers become a reality, data center energy consumption will undergo a fundamental transformation. Offloading specific computational tasks to quantum computers can alleviate the load on classical data center computing resources, thereby improving overall energy efficiency. However, the construction and maintenance of quantum computers themselves will introduce new energy demands, making the balance crucial. International collaborations, such as the UK's ecosystem, are indispensable for promoting the ethical and sustainable development of quantum technologies and maximizing the energy efficiency of future digital infrastructure. The advancements in quantum computing are expected to establish new standards for data center design and operation.

Source: <https://www.msp-channel.com/blogs/58996/quantum-computing-and-the-future-of-data-centre-energy>

#32 PLANOPTIK Provides Customized Glass Wafers and Panels for MEMS and Photonics Applications, Enhancing Wafer-Level Packaging

Published July 09, 2026 planoptik ag Germany



OVERVIEW

German company planoptik ag offers customized glass wafers and panels specifically for wafer-level packaging (WLP) in MEMS devices and photonic applications. These products are crucial for protecting, encapsulating, and maintaining the performance of delicate devices. The company also showcases a case study of glass cap wafers for optical sensors, demonstrating the critical role of high-precision packaging in improving the reliability and efficiency of optoelectronic and sensor technologies. This technology plays an important role in the semiconductor industry's trend towards miniaturization and higher integration.

Key Findings

Germany-based planoptik ag is enhancing its offerings of customized glass wafers and panels specifically tailored for MEMS (Micro-Electro-Mechanical Systems) devices and photonic applications. These products are essential solutions within advanced wafer-level packaging (WLP) processes, providing critical protection, encapsulation, and long-term maintenance of performance and reliability for delicate devices against external environments.

Technical Details

The glass wafers and panels provided by planoptik ag are produced using high-precision manufacturing techniques and stringent quality control. Key features include:

- **Precise Dimensional Accuracy and Surface Flatness:** Packaging of MEMS and photonic devices demands micron-level precision for alignment. planoptik's glass products meet this requirement with exceptionally high dimensional accuracy and surface flatness.
- **Diverse Glass Materials and Thicknesses:** A variety of materials and thicknesses are available, such as low thermal expansion glass, high-transmission glass, or specific wavelength-blocking glass, depending on the application's specific requirements.
- **Optimized Optical Properties:** For photonic applications, designs are implemented to ensure high optical transmission in specific wavelength ranges and to minimize stray light. Glass cap wafers for optical sensors are optimized to protect the sensor from external contamination and damage while efficiently allowing necessary light signals to pass through.
- **High Chemical and Mechanical Durability:** Products exhibit high chemical stability and mechanical strength to withstand harsh operating environments and manufacturing processes.

These glass products are utilized in the packaging of devices such as optical switches, optical sensor arrays, micromirrors, and microfluidic chips, contributing to the functional protection and performance maximization of the devices.

Background & Context

In the semiconductor industry, there is a constant demand for device miniaturization, enhanced performance, and cost reduction. Wafer-Level Packaging (WLP) is a crucial technology for meeting these demands. MEMS and photonics devices, due to their specialized functionalities, face unique challenges distinct from traditional IC packaging. Specifically, the precise guiding of optical signals, environmental protection, and thermal compatibility between disparate materials are addressed by glass-based packaging solutions. Specialized companies like planoptik ag cater to these niche yet highly advanced market needs, supporting technological innovation across the entire semiconductor ecosystem.

Strategic Significance & Outlook

The application scope of MEMS and photonic devices is continuously expanding into fields such as autonomous driving, AR/VR, IoT sensors, advanced medical devices, and data communications. Innovation in these areas will further drive demand for high-performance and reliable WLP solutions. The customized glass wafers and panels offered by planoptik ag are expected to play an indispensable role in the mass production and performance optimization of these next-generation devices. Through continuous R&D and close collaboration with customers, the company is poised to adapt to market evolution and expand the frontiers of WLP technology.

Source: https://www.planoptik.com/en/products/wafer_level_packaging/

Collected: July 11, 2026 | Automated Research System (Gemini API)

#33 openPR.com Predicts Silicon Photonics Market to Reach \$34.34 Billion by 2035, Driven by AI Demand and Expanding Adoption in LiDAR, Quantum Computing

Published July 09, 2026 openPR.com USA



OVERVIEW

This article provides an overview of a market research report released via openPR.com, forecasting the silicon photonics market to reach \$34.34 billion by 2035, propelled by strong AI demand. Key drivers include high-speed optical communication, increasing AI and machine learning workloads, and expanding adoption of cloud computing services. Additionally, silicon photonics is seeing growing implementation in diverse fields like telecommunications, automotive LiDAR, healthcare diagnostics, and quantum computing, bolstering overall market growth.

Key Findings

This article provides an overview of a market research report disseminated through openPR.com, which analyzes the current state and future projections for the global silicon photonics market. The report specifically highlights strong demand from Artificial Intelligence (AI) as a primary market driver, offering detailed market size figures and growth forecasts through 2035.

Technical / Clinical Details

According to the report, the silicon photonics market is poised for remarkable growth over the next decade, with projections indicating it will reach a massive market size of \$34.34 billion by 2035. This substantial expansion is driven by a multitude of factors across various sectors:

- **High-Speed Optical Communication:** The explosive increase in bandwidth demand in data centers, 5G infrastructure, and communication networks like Fiber To The Home (FTTH) is accelerating the adoption of optical transceivers based on silicon photonics.
- **Increasing AI and Machine Learning Workloads:** Training and inference of large-scale AI models require ultra-high-speed and efficient data transfer between chips and servers, which conventional electrical interconnects are increasingly struggling to provide. Silicon photonics is key to resolving this bottleneck.
- **Expanding Adoption of Cloud Computing Services:** The proliferation of cloud services drives the expansion and density of data centers, leading to increased demand for high-density, low-power optical interconnect solutions.
- **Growing Adoption in New Application Areas:** Beyond telecommunications and data centers, silicon photonics is finding broader adoption. Its applications are expanding into automotive LiDAR sensors for autonomous driving, biosensors in healthcare diagnostics, and future quantum computing platforms, among others.

These combined factors are establishing silicon photonics as an indispensable next-generation semiconductor technology with widespread industrial adoption.

Background & Context

Silicon photonics has emerged as a disruptive technology by integrating optical functions onto silicon chips, leveraging the mature and cost-effective silicon manufacturing ecosystem. This approach offers significant advantages over traditional discrete optical components, including miniaturization, higher integration density, improved performance, and lower power consumption. As the digital world becomes increasingly data-intensive, the limitations of electrical interconnects—such as signal loss, heat generation, and bandwidth ceilings—are becoming more pronounced. Silicon photonics provides a scalable and efficient solution to these challenges, making it a cornerstone for future high-performance computing and communication infrastructures.

Strategic Significance & Outlook

The projected growth of the silicon photonics market to \$34.34 billion by 2035 underscores its strategic importance across a diverse set of industries. This growth represents substantial opportunities for companies involved in silicon photonics design, manufacturing, and integration. The expanding adoption in cutting-edge fields like automotive LiDAR and quantum computing, alongside its foundational role in data centers and telecommunications, positions silicon photonics as a critical enabler for technological innovation. Continued investment in R&D and manufacturing capacity will be essential for capitalizing on this growth and fulfilling the promise of photonics in shaping the next era of interconnected, intelligent systems globally.

Source: <https://www.openpr.com/news/4572474/silicon-photonics-market-to-reach-us-34-34-billion-by-2035-as-ai>

#34 GlobalFoundries and Tower Semiconductor Clash Over Patents: Silicon Photonics IP War Heats Up

Published July 04, 2026 Precision with Light USA



OVERVIEW

A Precision with Light article reports the intensifying IP war in silicon photonics. GlobalFoundries strengthened its tech base by acquiring Advanced Micro Foundry (AMF) in November 2025, while Tower Semiconductor aggressively expands its silicon photonics efforts. The patent disputes between these two giants clearly indicate a fierce competition for leadership in this growing sector, poised to significantly impact future technological development and market deployment, driven by surging demand for optical interconnects in AI data centers.

Key Findings

A report from Precision with Light details the full-scale eruption of an Intellectual Property (IP) war within the silicon photonics sector. GlobalFoundries, a leading semiconductor foundry, bolstered its technological portfolio by acquiring Advanced Micro Foundry (AMF) in November 2025. Simultaneously, Tower Semiconductor is aggressively pursuing a dramatic expansion of its silicon photonics technology. The patent disputes between these two companies highlight an intense competition for technological superiority and market dominance in this rapidly growing field.

Technical Details

Silicon photonics, a technology that transmits and processes optical signals on a chip, is considered indispensable for next-generation AI data centers, High-Performance Computing (HPC), sensors, and quantum computing due to its advantages in high-speed data communication, low power consumption, and high integration. Through the acquisition of AMF, GlobalFoundries gained specialized expertise and patents in the design and manufacturing of silicon photonics devices, particularly optical modulators, photodetectors, and wavelength division multiplexing components. This acquisition further strengthens the competitiveness of its 'Fotonix' photonics platform. Tower Semiconductor, on the other hand, boasts years of experience in silicon photonics, excelling in custom solutions for specific applications like automotive LiDAR and medical sensors. The IP held by both companies spans diverse areas, including optical waveguide design, hybrid optoelectronic integration, packaging, and manufacturing process optimization. These IPs are crucial for establishing technological leadership as they form the foundation for manufacturing high-performance, mass-producible photonic devices.

Background & Context

The increasing complexity of AI models and the explosive growth of data volumes are exposing the limitations of traditional electrical interconnects for inter-chip communication. This has led data centers to face significant challenges: the 'power wall' and the 'communication wall,' accelerating the transition to optical interconnects, especially Co-Packaged Optics (CPO). Silicon photonics is the core technology supporting the growth of this optical interconnect market, with its market size projected to reach tens of billions of dollars over the coming decades. Against the backdrop of this immense market potential, major foundries are focusing on acquiring relevant IP and strengthening their platforms, making patent disputes an inevitable part of the competition.

Strategic Significance & Outlook

The intensifying silicon photonics IP war will accelerate technological innovation across the industry while also introducing business challenges such as patent licensing and litigation risks. The competition between GlobalFoundries and Tower Semiconductor will influence the standardization of silicon photonics technology, the establishment of the supply chain, and ultimately, market pricing. The company that prevails in this IP war will lead the convergence of semiconductors and optical communication in the AI era, playing a decisive role in shaping the future of data centers and high-performance computing. Moving forward, strengthening patent portfolios, strategic alliances, and balancing open innovation with exclusive IP strategies will be key to each company's success.

Source: <https://precisionwithlight.substack.com/p/the-first-shots-in-the-silicon-photonics>

Collected: July 11, 2026 | Automated Research System (Gemini API)

#35 Aehr Test Systems Receives Follow-On Production Order from Lead Silicon Photonics Customer for FOX-XP Wafer-Level Burn-In System

Published July 09, 2026 Aehr Test Systems USA



OVERVIEW

Aehr Test Systems announced a follow-on production order for its fully automated FOX-XP Wafer-Level Burn-In (WLBI) system from a leading silicon photonics customer. This system is designed to support high-volume burn-in of advanced silicon photonics devices used in next-generation optical interconnect and optical I/O architectures. This additional order strongly indicates increasing demand for optical technology in AI data center and high-performance computing markets, as well as market confidence in Aehr's test solutions.

Key Findings

Aehr Test Systems announced it has received a follow-on production order for its fully automated FOX-XP Wafer-Level Burn-In (WLBI) system from a major silicon photonics customer. This significant order underscores the central role of Aehr's FOX-XP system in the high-volume manufacturing of advanced silicon photonics devices, which are essential for next-generation optical interconnect and optical I/O architectures.

Technical Details

Aehr's FOX-XP system is specifically engineered to provide highly efficient and reliable wafer-level burn-in testing. Silicon photonics devices are complex integrated circuits that convert light and electricity, and a rigorous burn-in process is critical to reduce early-life failures and ensure long-term reliability. The FOX-XP system can test entire wafers or portions thereof simultaneously, allowing for the identification of potential defects and yield improvement before individual chips are packaged. This system is particularly optimized to handle high-bandwidth silicon photonics devices used in AI optical interconnect and hyperscale data center applications. Its high-density channel count and ability to test simultaneously across multiple temperature profiles enable maximized production throughput while meeting stringent quality standards. This helps customers reduce time-to-market and lower manufacturing costs.

Background & Context

The increasing complexity of AI models and the explosive growth of data volumes are exacerbating bandwidth and power efficiency challenges in inter-chip and inter-server communication within data centers. Traditional electrical interconnects are reaching their limits, accelerating the transition to optical interconnects, especially Co-Packaged Optics (CPO). Silicon photonics is a core technology supporting the growth of this optical interconnect market, and ensuring its reliability and durability is paramount for maintaining AI infrastructure performance. Advanced test and burn-in solutions like Aehr's FOX-XP serve as indispensable tools for validating the quality of these innovative devices before they are brought to market. This indicates the increasing importance of testing and packaging within the semiconductor manufacturing supply chain.

Strategic Significance & Outlook

This follow-on production order suggests a sustained expansion of demand for silicon photonics devices in the AI data center market and indicates that Aehr's FOX-XP system is establishing itself as an industry standard. As the adoption of Co-Packaged Optics (CPO) and Near-Packaged Optics (NPO) progresses, the demand for high-quality wafer-level test and burn-in solutions will further increase. Aehr Test Systems is expected to play a crucial role in this growing market, continuing to provide foundational technology for ensuring the reliability and efficiency of next-generation AI and HPC infrastructure. This highlights anew the importance of the unseen infrastructure that supports high-performance AI ecosystems.

Source: <https://www.aehr.com/2026/07/aehr-receives-follow-on-production-order-from-lead-silicon-photonics-customer-for-fully-automated-fox-xp-wafer-level-burn-in-system/>

Collected: July 11, 2026 | Automated Research System (Gemini API)